

The M1 GYS AUTO is a Synergic single phase MIG-MAG welding machine. Ideal for car body repairs, it is recommended for welding steel, stainless steel, aluminium and for MIG Brazing of high-tensile strength steels (with CuSi3 and CuAl8 wires).

Synergic Mode



- The machine determines the optimum wire speed by selecting :
 - the type of wire
 - the wire diameter
 - the welding current

Spool Gun (optional)

The Spool Gun torch is ideal for car body repairs of aluminium, AISi5 and AISi12.

4 Drive rolls motor

- Suitable for 5kg/ø200mm and 15kg/ø300mm wire reels.

Saving welding parameters

Memory save feature for each torch and activation of the 'last used' welding parameters (wire diameter, wire type & mode).

3 Welding modes available


- Standard (2T)
- Spot
- Delay



Accessories

Delivered with:
1 torch 150A - 3m
1 earth clamp 200A - 3m
(regulator not included)













+ ADVANTAGES



Upgradeable - the M1 GYS AUTO can be fitted with a Spool Gun torch. This motorised torch is suitable for 1kg/ø100mm wire reels of aluminium, stainless steel, copper and steel in ø0.8mm.

- Ideal for soft wire such as the AISi5 or AISi12 (recommended for car body repairs)
- Ease of use : adjusting the wire speed on the Spool Gun torch directly.

CE - EN 60974-1

50/60hz	AM	min▷max	ø mm	100	200	300		équipé d'origine / original equipment / originalausstattung / equipamiento de fabrica	EN60974-1 (40°C)			
230V	16A	15▷160A	0.6-1.0		✓	✓		 	I _A (60%) X% (I ₂ max)	cm/kg	Protected & compatible POWER GENERATOR (+/- 15%)	Spool Gun
230V	16A	15▷160A	0.6-1.0		✓	✓		 	80A 140A 15%	47x77x79 50	4.5 kVA	Option