According to the Australian Work Health and Safety Regulations

Initial preparation date: 04.23.2018

BOSS GLOSS

SECTION 1: Identification

Product identifier Product name: BOSS

Product name: BOSS GLOSS Product code: 49263

Recommended use of the product and restriction on use Relevant identified uses: Paints and gloss. Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer: United States P.O.R. Products 38 Portman Road New Rochelle, NY 10801 914-636-0700

Supplier: Australia Sydney Automotive Paints & Equipment Pty Ltd A3 / 366 Edgar Street Condell Park, NSW 2200 Australia +61 2 9772 9000

Emergency telephone number:

Australia

Emergency telephone AU Poison Information Centre 13 11 26

General medical information: +61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST) Transport information: +61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)

SECTION 2: Hazard(s) identification

GHS classification:

Serious eye damage, category 1 Skin corrosion, category 1A

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H318 Causes serious eye damage.

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P310 Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see first aid instructions on this label).



According to the Australian Work Health and Safety Regulations

Initial preparation date: 04.23.2018

BOSS GLOSS

P363 Wash contaminated clothing before reuse

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P405 Store locked up.

P501 Dispose of contents/container according to local regulations.

Hazards not otherwise classified: None

SECTION 3: Composition and information on ingredients

Identification	Name	Weight %
CAS number: 7732-18-5	Water	65-85
CAS number: 9005-00-9	Polyoxyl stearyl ether	<0.01
CAS number: 63148-62-9	Dimethyl siloxane	25-45
CAS number: 78330-21-9	Alcohols, C11-14-ISO-, C13-rich, ethoxylated	<3

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position Maintain an unobstructed airway Get medical advice/attention if you feel unwell Take precautions to ensure your own safety Remove source of exposure or move person to fresh air and keep comfortable for breathing Immediately call a POISON CONTROL CENTER or seek medical attention If breathing has stopped, trained personnel should begin rescue breathing Avoid mouth-to-mouth contact by using a barrier device If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) After skin contact: Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention Avoid direct contact and wear chemical protective clothing, if necessary Immediately take off all contaminated clothing Gently blot or brush away excess product Rinse skin with lukewarm, gently flowing water until medical aid is available Immediately call a POISON CONTROL CENTER or seek medical attention Wash contaminated clothing before re-use or discard

Page 2 of 9

According to the Australian Work Health and Safety Regulations

Initial preparation date: 04.23.2018

BOSS GLOSS

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes If symptoms develop or persist, seek medical attention Avoid direct contact and wear chemical protective gloves, if necessary Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open Remove contact lenses, if present and easy to do so

Continue rinsing until medical aid is available

Immediately call a POISON CONTROL CENTER or seek medical attention

After swallowing:

Rinse mouth thoroughly Seek medical attention if irritation, discomfort, or vomiting persists Immediately call a POISON CONTROL CENTER or seek medical attention Do not induce vomiting and rinse mouth If vomiting occurs naturally, lie on your side, in the recovery position If breathing has stopped, trained personnel should begin rescue breathing Avoid mouth-to-mouth contact by using a barrier device If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR)

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Fire fighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Hazchem: 2X

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

According to the Australian Work Health and Safety Regulations

Initial preparation date: 04.23.2018

BOSS GLOSS

Ensure adequate ventilation Ensure air handling systems are operational Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders) Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage precautions

Precautions for safe handling:

Use only with adequate ventilation. Avoid breathing mist or vapor. Do not eat, drink, smoke or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed. Protect from freezing and physical damage. Store in a cool, well-ventilated area.

SECTION 8: Exposure controls and personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

No occupational exposure limits noted for the ingredient(s).

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance. Wear appropriate clothing to prevent any possibility of skin contact.

According to the Australian Work Health and Safety Regulations

Initial preparation date: 04.23.2018

BOSS GLOSS

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of work. Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

	The second se
Appearance	Milky Liquid
Odor	Very Mild
Odor threshold	Not determined or not available.
рН	9.5 - 13.1
Melting point/freezing point	Approximately 0°C (32°F)
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	No Flash Point
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	23 hPa @ 20°C
Vapor density	Not determined or not available.
Density	1.03 g/mL
Relative density	Not determined or not available.
Solubilities	Miscible in water.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	1 mm2/s @ 20°C
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

voc	Content	
-----	---------	--

11 g/L (Theoretical Method)

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

According to the Australian Work Health and Safety Regulations

Initial preparation date: 04.23.2018

BOSS GLOSS

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

None known.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Hazard information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Skin corrosion/irritation

Assessment: Causes severe skin burns and eye damage

Product data:

No data available.

Substance data: No data available.

Serious eye damage/irritation

Assessment: Causes serious eye damage

Product data:

No data available.

Substance data:

Name	Result
Alcohols, C11-14-ISO-, C13- rich, ethoxylated	Corrosive effect on the eyes.
Polyoxyl stearyl ether	Corrosive to the eyes.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed. National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

- **Product data:**
- No data available.

Substance data: No data available.

According to the Australian Work Health and Safety Regulations

Initial preparation date: 04.23.2018

BOSS GLOSS

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met. **Product data:** No data available.

Substance data:

Name	Result
Polyoxyl stearyl ether	NOEC - Pimephales promelas - 0.16 mg/L - 10 d
	NOEC - Daphnia magna - 0.77 mg/L - 21 d

Chronic (long-term) toxicity

Product data: No data available. Substance data: No data available.

Persistence and degradability

Product data: No data available. Substance data: No data available.

Bioaccumulative potential

Product data: No data available. Substance data: No data available.

According to the Australian Work Health and Safety Regulations

Initial preparation date: 04.23.2018

BOSS GLOSS

Mobility in soil

Product data: No data available. **Substance data:** No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

Australian Dangerous Goods (ADG)

UN number	1760
UN proper shipping name	Corrosive Liquids, N.O.S. (Alcohols, C11-14-ISO-, C13-rich, ethoxylated)
UN transport hazard class(es)	8
Packing group	III
Environmental hazards	None
Special precautions for user	None
Hazchem/Emergency Action Code	2X

International Maritime Dangerous Goods (IMDG)

UN number	1760
UN proper shipping name	Corrosive Liquids, N.O.S. (Alcohols, C11-14-ISO-, C13-rich, ethoxylated)
UN transport hazard class(es)	8 CORROSAVE 8
Packing group	
Environmental hazards	None
Special precautions for user	None
EmS number	F-A, S-B
Stowage category	A
Excepted quantities	E1
Limited quantity	5L

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	1760
	Corrosive Liquids, N.O.S. (Alcohols, C11-14-ISO-, C13-rich, ethoxylated)

According to the Australian Work Health and Safety Regulations

Initial preparation date: 04.23.2018

BOSS GLOSS

UN transport hazard class(es)	8
Packing group	Ш
Environmental hazards	None
Special precautions for user	None
ERG code	8L
Excepted quantities	E1
Passenger and cargo	5L
Cargo aircraft only	60L
Limited quantity	1L

SECTION 15: Regulatory information

Australia regulations

Australian Inventory of Chemical Substances (AICS):

7732-18-5	Water	Listed
63148-62-9	Dimethyl siloxane	Listed
78330-21-9	Alcohols, C11-14-ISO-, C13-rich, ethoxylated	Listed
9005-00-9	Polyoxyl stearyl ether	Listed

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not listed

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This SDS was authored in accordance with the Australian Work Health and Safety Regulations and supplemented by the Australian Code of Practice on the Preparation of Safety Data Sheets for Hazardous Chemicals. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 3-0-0

HMIS: 3-0-0

Initial preparation date: 04.23.2018

Additional information:

Version 1.1

End of Safety Data Sheet