according to Regulation (EC) No. 1907/2006



BPO-Paste Blau

Version Revision Date: Date of last issue: 15.07.2019
1.1 GB/EN 14.10.2019 Date of first issue: 15.07.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : BPO-Paste Blau

Product code : 127.038

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Curing chemical

1.3 Details of the supplier of the safety data sheet

Company : A.Förster & Co.KG

Esinger Steinweg 50 25436 Uetersen

Germany

info@foerster-co.de

Telephone : 04122-3682

Responsible Department : Laboratory

04122-3682

info@foerster-co.de

1.4 Emergency telephone number

Telephone : POISONS INFORMATION CENTRE

Australia

13 11 26

1.5 Details of the supplier/importer

Company : Sydney Automotive Paints and Equipment

Unit A3, 366 Edgar Street

Condell Park, 2200

reception@sape.com.au

Telephone : 02 9772 9000 Telefax : 02 9772 9001

Responsible Department : Marketing

02 9772 9000

according to Regulation (EC) No. 1907/2006



BPO-Paste Blau

Version Revision Date: Date of last issue: 15.07.2019
1.1 GB/EN 14.10.2019 Date of first issue: 15.07.2019

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type E H242: Heating may cause a fire.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :







Signal word : Warning

Hazard statements : H242 Heating may cause a fire.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : P101 If medical advice is needed, have product container or

label at hand.

P102 Keep out of reach of children.

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances

/combustible materials.

P234 Keep only in original packaging.P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if pre-

according to Regulation (EC) No. 1907/2006



BPO-Paste Blau

Version Revision Date: Date of last issue: 15.07.2019
1.1 GB/EN 14.10.2019 Date of first issue: 15.07.2019

sent and easy to do. Continue rinsing.

P314 Get medical advice/ attention if you feel unwell.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P410 Protect from sunlight.

Disposal:

P501 Dispose of contents/container to an approved facility in

accordance with local, regional, national and interna-

tional regulations.

Hazardous components which must be listed on the label: dibenzoyl peroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mixture

contains

Organic Peroxide

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
dibenzoyl peroxide	94-36-0 202-327-6 617-008-00-0 01-2119511472-50	Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M factor (acute) = 10 M factor (chronic) = 10	>= 25 - < 35

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

Move out of dangerous area.

Take off contaminated clothing and shoes immediately.

according to Regulation (EC) No. 1907/2006



Hazchem: 1W

BPO-Paste Blau

Version Revision Date: Date of last issue: 15.07.2019 1.1 GB/EN 14.10.2019 Date of first issue: 15.07.2019

Show this safety data sheet to the doctor in attendance.

First aider needs to protect himself.

If inhaled Move to fresh air.

Get medical attention.

In case of skin contact Wash off immediately with soap and plenty of water.

Call a physician if irritation persists.

Rinse immediately with plenty of water, also under the eyelids, In case of eye contact

for at least 15 minutes.

Keep eye wide open while rinsing.

Remove contact lenses. Consult a physician.

If swallowed Rinse mouth with water.

Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Risks May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbon dioxide (CO2)

> Dry powder Water spray jet Alcohol-resistant foam

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Hazardous decomposition products formed under fire condi-

tions.

5.3 Advice for firefighters

for firefighters

Special protective equipment : Wear self-contained breathing apparatus and protective suit.

Further information Use water spray to cool unopened containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

according to Regulation (EC) No. 1907/2006



BPO-Paste Blau

Version Revision Date: Date of last issue: 15.07.2019
1.1 GB/EN 14.10.2019 Date of first issue: 15.07.2019

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear personal protective equipment.

Evacuate personnel to safe areas.

Ensure adequate ventilation, especially in confined areas.

Remove all sources of ignition.

Do not smoke.

Avoid contact with skin, eyes and clothing.

In the case of vapour formation use a respirator with an ap-

proved filter.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

Do not flush with water.

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

Advice on safe handling : Use only with adequate ventilation.

Provide sufficient air exchange and/or exhaust in work rooms.

Wear personal protective equipment.

Keep away from heat and sources of ignition. Handle and open container with care. Keep container tightly closed and dry.

Never return unused material to storage receptacle.

Risk of decomposition.

Prevent contamination with readily oxidizable materials and

polymerisation accelerators. Avoid inhalation of vapour or mist.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Avoid release to the environment.

according to Regulation (EC) No. 1907/2006



BPO-Paste Blau

Version Revision Date: Date of last issue: 15.07.2019
1.1 GB/EN 14.10.2019 Date of first issue: 15.07.2019

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Keep away from open flames, hot surfaces and sources of

ignition.

Keep away from direct sunlight.

Avoid shock and friction.

Take measures to prevent the build up of electrostatic charge.

Use explosion-proof equipment.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container.

Avoid letting the product become dry.

Keep containers tightly closed in a cool, well-ventilated place. Store between 5 and 25 °C in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

Advice on common storage :

Keep away from food, drink and animal feedingstuffs.

Keep away from reducing agents. Incompatible with acids and bases.

Heavy metal compounds

7.3 Specific end use(s)

Specific use(s) : No data available

The rules which cover amongst other things the requirement for ventilation, protective clothing, personal protective equipment etc. can be obtained from the National Occupational

Health and Safety Board.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
dimethyl phthalate	131-11-3	TWA	5 mg/m3	GB EH40
		STEL	10 mg/m3	GB EH40
dibenzoyl peroxide	94-36-0	TWA	5 mg/m3	GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the			
	long-term exposure limit should be used.			
Calcium carbonate	471-34-1	TWA (inhalable	10 mg/m3	GB EH40
		dust)		
Further information	For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols, The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most			

according to Regulation (EC) No. 1907/2006



BPO-Paste Blau

Version Revision Date: Date of last issue: 15.07.2019
1.1 GB/EN 14.10.2019 Date of first issue: 15.07.2019

industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific shortterm exposure limit is listed, a figure three times the long-term exposure limit should be used. TWA (Respirable 4 mg/m3 GB EH40 dust) Further information For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols, The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'., Inhalable dust approximates to

the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region

MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit

of the lung. Fuller definitions and explanatory material are given in

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

should be used.

			` '	
Substance name	End Use	Exposure routes	Potential health effects	Value
dibenzoyl peroxide	Consumers	Oral	Long-term systemic effects	2 mg/kg bw/day
	Workers	Dermal	Long-term systemic effects	13.3 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	39 mg/m3
Calcium carbonate	Workers	Inhalation	Long-term local ef- fects	6.36 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	1.06 mg/m3
	Consumers	Oral	Long-term systemic effects	6.1 mg/kg

according to Regulation (EC) No. 1907/2006



BPO-Paste Blau

Version Revision Date: Date of last issue: 15.07.2019
1.1 GB/EN 14.10.2019 Date of first issue: 15.07.2019

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
dibenzoyl peroxide	Fresh water	0.00002 mg/l
	Intermittent use/release	0.000602 mg/l
	Marine water	0.000002 mg/l
	Fresh water sediment	0.0127 mg/kg dry weight (d.w.)
	Marine sediment	0.00127 mg/kg dry weight (d.w.)
	Soil	0.0025 mg/kg dry weight (d.w.)
	Sewage treatment plant	0.35 mg/l
Calcium carbonate	Sewage treatment plant	100 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166

Hand protection

Material : Nitrile rubber

Break through time : > 30 min

Glove thickness : >= 0.14 mm

Directive : DIN EN 374

Protective index : Class 2

Remarks : Gloves should be discarded and replaced if there is any indi-

cation of degradation or chemical breakthrough.

The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protec-

tive glove.

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different

from one producer to the other.

Skin and body protection : Please wear suitable protective clothing, e.g. made of cotton

or heat-resistant synthetic fibres.

Long sleeved clothing

Respiratory protection : Apply technical measures to comply with the occupational

exposure limits.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Protective measures : When using do not eat, drink or smoke.

Ensure that eye flushing systems and safety showers are

located close to the working place.

Avoid contact with the skin and the eyes.

according to Regulation (EC) No. 1907/2006



BPO-Paste Blau

Version Revision Date: Date of last issue: 15.07.2019
1.1 GB/EN 14.10.2019 Date of first issue: 15.07.2019

Use only with adequate ventilation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : paste

Colour : blue

Odour : characteristic

Flash point : Not applicable

> 50 °C

Decomposition

Density : 1.15 - 1.2 g/cm3 (20 °C)

Solubility(ies)

Water solubility : insoluble

Oxidizing properties : Organic peroxide

Sustains combustion

9.2 Other information

Self-Accelerating decomposi-

tion temperature (SADT)

50 °C

Peroxide content : 30 %

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if used as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Risk of decomposition.

Reacts violently in contact with acids, amines, driers, polymer-

isation accelerators and easily oxidized materials.

10.4 Conditions to avoid

Conditions to avoid : Do not expose to temperatures above: > 25 °C

Extremes of temperature and direct sunlight. Keep away from heat and sources of ignition.

Contact with incompatible substances can cause decomposi-

tion at or below SADT.

according to Regulation (EC) No. 1907/2006



BPO-Paste Blau

Version Revision Date: Date of last issue: 15.07.2019
1.1 GB/EN 14.10.2019 Date of first issue: 15.07.2019

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

dibenzoyl peroxide:

Acute oral toxicity : LD50 Oral (Rat): > 2,000 mg/kg

Acute inhalation toxicity : LC0 (Rat): > 24.3 mg/l

Exposure time: 4 h

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



BPO-Paste Blau

Version Revision Date: Date of last issue: 15.07.2019
1.1 GB/EN 14.10.2019 Date of first issue: 15.07.2019

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

dibenzoyl peroxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0602 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

NOEC (Fish): 0.0316 mg/l Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.11 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (microalgae)): 0.0711

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.02

mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox- :

icity)

10

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10: 0.001 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

10

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

according to Regulation (EC) No. 1907/2006



BPO-Paste Blau

Version Revision Date: Date of last issue: 15.07.2019
1.1 GB/EN 14.10.2019 Date of first issue: 15.07.2019

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological infor-

mation

: No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not mix waste streams during collection.

Do not dispose of with domestic refuse.

Do not empty into drains, dispose of this material and its con-

tainer at hazardous or special waste collection point. Dispose of in accordance with local regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of in accordance with local regulations.

Waste Code : The following Waste Codes are only suggestions:

16 05 06, laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chem-

icals

16 09 03, peroxides, for example hydrogen peroxide

SECTION 14: Transport information

14.1 UN number

ADN : UN 3108
ADR : UN 3108
RID : UN 3108
IMDG : UN 3108
IATA : UN 3108

14.2 UN proper shipping name

ADN : ORGANIC PEROXIDE TYPE E, SOLID

(dibenzoyl peroxide)

ADR : ORGANIC PEROXIDE TYPE E, SOLID

(dibenzoyl peroxide)

according to Regulation (EC) No. 1907/2006



BPO-Paste Blau

Version Revision Date: Date of last issue: 15.07.2019
1.1 GB/EN 14.10.2019 Date of first issue: 15.07.2019

RID : ORGANIC PEROXIDE TYPE E, SOLID

(dibenzoyl peroxide)

IMDG : ORGANIC PEROXIDE TYPE E, SOLID

(dibenzoyl peroxide)

IATA : Organic peroxide type E, solid

(dibenzoyl peroxide)

14.3 Transport hazard class(es)

ADN : 5.2
ADR : 5.2
RID : 5.2
IMDG : 5.2
IATA : 5.2

14.4 Packing group

ADN

Packing group : Not assigned by regulation

Classification Code : P1 Labels : 5.2

ADR

Packing group : Not assigned by regulation

Classification Code : P1 Labels : 5.2 Tunnel restriction code : (D)

RID

Packing group : Not assigned by regulation

Classification Code : P1
Hazard Identification Number : 539
Labels : 5.2

IMDG

Packing group : Not assigned by regulation

Labels : 5.2 EmS Code : F-J, S-R

IATA (Cargo)

Packing instruction (cargo : 570

aircraft)

Packing group : Not assigned by regulation

Labels : Division 5.2 - Organic peroxides, Handling Label - Keep Away

From Heat

IATA (Passenger)

Packing instruction (passen- : 570

ger aircraft)

Packing group : Not assigned by regulation

Labels : Division 5.2 - Organic peroxides, Handling Label - Keep Away

From Heat

14.5 Environmental hazards

according to Regulation (EC) No. 1907/2006



Hazchem: 1W

BPO-Paste Blau

Version Revision Date: Date of last issue: 15.07.2019 1.1 GB/EN 14.10.2019 Date of first issue: 15.07.2019

ADN

Environmentally hazardous no

ADR

Environmentally hazardous no

RID

Environmentally hazardous no

IMDG

Marine pollutant no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

Not applicable

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation (Annex XIV)

plete the ozone layer

Regulation (EC) No 1005/2009 on substances that de-Not applicable

Regulation (EC) No 850/2004 on persistent organic pol-

lutants

Not applicable

REACH - Restrictions on the manufacture, placing on

preparations and articles (Annex XVII)

the market and use of certain dangerous substances,

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P₆b **SELF-REACTIVE**

SUBSTANCES AND

MIXTURES and ORGANIC

PEROXIDES

E1 **ENVIRONMENTAL**

HAZARDS

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

according to Regulation (EC) No. 1907/2006



BPO-Paste Blau

Version Revision Date: Date of last issue: 15.07.2019
1.1 GB/EN 14.10.2019 Date of first issue: 15.07.2019

15.2 Chemical safety assessment

A chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.

SECTION 16: Other information

Full text of H-Statements

H241 : Heating may cause a fire or explosion.
H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Org. Perox. : Organic peroxides
Skin Sens. : Skin sensitisation

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature;

according to Regulation (EC) No. 1907/2006



BPO-Paste Blau

Version Revision Date: Date of last issue: 15.07.2019
1.1 GB/EN 14.10.2019 Date of first issue: 15.07.2019

SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure: Org. Perox. E H242 Based on product data or assessment Eye Irrit. 2 Calculation method H319 Skin Sens. 1 Calculation method H317 Aquatic Acute 1 H400 Calculation method Aquatic Chronic 1 H410 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.