

# SAFETY DATA SHEET JUICE - Q - Cut

According to the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practise, 2021.

#### SECTION 1: Identification: Product identifier and chemical identity

**Product identifier** 

Product name JUICE - Q Cut Compound Code: JPQC1I, JPQC4L and JPQC500

**Product No.** 11465 Sizes: 4lt - 1lt - 500ml

Relevant identified uses of the substance or mixture and uses advised against

**Application** Car maintenance product. - Polish.

**Uses advised against** For professional use only. This product is not recommended for any industrial, professional or

consumer use other than the Identified uses above.

#### **Details of the supplier of the Safety Data Sheet**

Supplier Sydney Automotive Paint and Equipment Pty Ltd

Unit A3, 366 Edgar Street

Condell Park NSW 2200 Australia

Tel: +61 2 9772 9000 Email: reception@sape.com.au

www.juicepolishes.com.au

www.sape.com.au

Manufacturer Global Body Shop Supplies

Unit A4, 366 Edgar Street

Condell Park NSW 2200 Australia

Tel: +61 2 9772 9099

Email: reception@sape.com.au

**Emergency Information** 

Emergency telephoneAU Poison Information Centre13 11 26General medical information+61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)Transport information+61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)

National emergency telephone Poison Information Hotline: 13 11 26

number

# SECTION 2: Hazard(s) identification

# Classification of the substance or mixture

Physical hazards Not Classified

# JUICE - Q - Cut

Health hazards Not Classified
Environmental hazards Not Classified

**Label elements** 

Hazard statements NC Not Classified

**Precautionary statements** P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.

Supplemental label

information

For professional users only.

#### Other hazards

This product does not contain any substances classified as PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative).

#### SECTION 3: Composition and information on ingredients

#### **Mixtures**

Aluminium oxide 30<60%

CAS number: 1344-28-1

Substance with a Community workplace exposure limit.

Classification

Not Classified

# Distillates (petroleum), hydro- treated light

15<20%

CAS number: 64742-47-8

Classification

Flam. Liq. 4 - H227 Asp. Tox. 1 - H304

# White Mineral Oil (Petroleum)

5<10%

CAS number: 8042-47-5

Classification

Asp. Tox. 1 - H304

The full text for all hazard statements is displayed in Section 16.

#### **SECTION 4: First aid measures**

### **Description of first aid measures**

**General information** Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.

# JUICE - Q - Cut

**Inhalation** Remove affected person from source of contamination. Move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on

their side in the recovery position and ensure breathing can take place.

Ingestion Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water

or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing

such as collar, tie or belt.

**Skin Contact** Rinse with water.

**Eye contact** Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 10 minutes.

**Protection of first aiders** First aid personnel should wear appropriate protective equipment during any rescue.

Most important symptoms and effects, both acute and delayed

**General information** See Section 11 for additional information on health hazards. The severity of the symptoms

described will vary dependent on the concentration and the length of exposure.

**Inhalation** Prolonged inhalation of high concentrations may damage respiratory system.

**Ingestion** Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may

be inhaled, resulting in the same symptoms as inhalation.

**Skin contact** Prolonged contact may cause dryness of the skin.

**Eye contact** May cause temporary eye irritation.

<u>Indication of any immediate medical attention and special treatment needed</u>

**Notes for the doctor**Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### **Extinguishing media**

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry

powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

#### Special hazards arising from the substance or mixture

**Specific hazards**Containers can burst violently or explode when heated, due to excessive pressure build-up.

Hazardous combustion products

Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapours.

**Advice for firefighters** 

Protective actions during firefighting

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs,

Revision date: 06/07/2022 Supersedes date: 9/06/2021 Revision: 1

# JUICE - Q - Cut

# **Special protective equipment** for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

#### **Personal precautions**

No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material.

#### **Environmental precautions**

Environmental precautions Slightly soluble in water. Aquatic toxicity is unlikely to occur. However, large or frequent spills may have hazardous effects on the environment. Absorb spillage with non-combustible, absorbent material. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

#### Methods and material for containment and cleaning up

#### Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

#### Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

# SECTION 7: Handling and storage, including how the chemical may be safely used

#### Precautions for safe handling

#### **Usage precautions**

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment.

# Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

#### Conditions for safe storage, including any incompatibilities

# JUICE - Q - Cut

**Storage precautions** Store in accordance with local regulations. Keep only in the original container. Keep container

tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The

storage area floor should be leak-tight, jointless and not absorbent.

**Storage class** Chemical storage.

Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

#### **SECTION 8: Exposure controls and personal protection**

#### **Control parameters**

#### Occupational exposure limits

#### **Aluminium oxide**

Long-term exposure limit (8-hour TWA): 10 mg/m³ Long-term exposure limit (8-hour TWA): 10 mg/m³

#### White Mineral Oil (Petroleum) (CAS: 8042-47-5)

**Ingredient comments** No exposure limits known for ingredient(s).

#### C9-11 Alcohol 12EO (CAS: 68439-46-3)

**Ingredient comments** No exposure limits known for ingredient(s).

#### **Exposure controls**

#### **Protective equipment**





# Appropriate engineering controls

Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.

#### **Eye/face protection**

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

# JUICE - Q - Cut

#### **Hand protection**

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. The breakthrough time for any glove material may be different for different glove manufacturers. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. The choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. When used with mixtures, the protection time of gloves cannot be accurately estimated. Gloves made from the following material may provide suitable chemical protection: Nitrile rubber. Thickness: >0.2mm The selected gloves should have a breakthrough time of at least 0.5 hours. Glove thickness is not necessarily a good measure of glove resistance as the permeation rate will depend on the exact glove composition. Repeated exposure to chemicals will degrade the ability of the glove to provide resistance to chemicals. Specific work environments and material handling practices may vary, therefore safety procedures should be developed for each intended application. Use thin cotton gloves inside natural rubber gloves if there is an allergy risk to natural rubber.

Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

**Hygiene measures** 

Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.

### **Respiratory protection**

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716.

Environmental exposure controls

Keep container tightly sealed when not in use.

### **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

**Appearance** Viscous liquid. Liquid.

**Colour** White.

Odour Mild (or faint).
Odour threshold Not available.
pH Not applicable.

Melting point  $^{\sim} 0^{\circ}\text{C}$ 

Initial boiling point and range > 100°C @ 760 mm Hg

**Flash point** > 77°C Closed cup.

# JUICE - Q - Cut

**Evaporation rate** Not available. **Flammability Limit - Lower(%)** Not available.

Other flammability This product does not sustain combustion, according to the sustained combustibility test L.2,

Part III, section 32 of the UN Recommendations on the Transport of Dangerous Goods,

Manual of Tests and Criteria.

Vapour pressure > 0.04 kPa @ 20°C

Vapour density Not available.

Relative density ~ 1.380 @ (20°C)°C

**Solubility(ies)** Slightly soluble in water.

Partition coefficientNot available.Auto-ignition temperatureNot available.Decomposition TemperatureNot available.

**Viscosity** Kinematic viscosity > 20.5 mm<sup>2</sup>/s.

Oxidising properties Not applicable.

Comments Information declared as "Not available" or "Not applicable" is not considered to be relevant to

the implementation of the proper control measures.

Volatile organic compound This product contains a maximum VOC content of 262 g/litre.

#### **SECTION 10: Stability and reactivity**

**Reactivity** There are no known reactivity hazards associated with this product.

**Stability** Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

**Possibility of hazardous** 

reactions

No potentially hazardous reactions known.

**Conditions to avoid** There are no known conditions that are likely to result in a hazardous situation.

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

**Hazardous decomposition** 

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

# SECTION 11: Toxicological information

#### Information on toxicological effects

**Other health effects** There is no evidence that the product can cause cancer.

**Acute toxicity - oral** 

Notes (oral LD50) Based on available data the classification criteria are not met.

**Acute toxicity - dermal** 

**Notes (dermal LD50)**Based on available data the classification criteria are not met.

**Acute toxicity - inhalation** 

# JUICE - Q - Cut

Notes (inhalation LC50) Based on available data the classification criteria are not met.

**Skin corrosion/irritation** 

**Animal data**Based on available data the classification criteria are not met.

**Human skin model test** Scientifically unjustified.

Extreme pH Not applicable.

Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

**Skin sensitisation** 

**Skin sensitisation** Based on available data the classification criteria are not met.

**Germ cell mutagenicity** 

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

**Carcinogenicity** 

**Carcinogenicity**Based on available data the classification criteria are not met.

**IARC carcinogenicity** None of the ingredients are listed or exempt.

**Reproductive toxicity** 

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

**Aspiration hazard** 

**Aspiration hazard** Based on available data the classification criteria are not met.

**General information** The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** Prolonged inhalation of high concentrations may damage respiratory system.

**Ingestion** Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may

be inhaled, resulting in the same symptoms as inhalation.

**Skin Contact** Prolonged contact may cause dryness of the skin.

**Eye contact** May cause temporary eye irritation.

Acute and chronic health

hazards

This product has low toxicity. Only large quantities are likely to have adverse effects on

human health.

**Route of exposure** Ingestion Inhalation Skin and/or eye contact

**Target Organs** No specific target organs known.

Revision date: 06/07/2022 Supersedes date: 9/06/2021 Revision: 1

# JUICE - Q - Cut

**Medical Symptoms** No specific symptoms noted, but this chemical may still have adverse health impact, either in

general or on certain individuals.

**Medical considerations** Not known.

Toxicological information on ingredients.

#### **Aluminium oxide**

**Toxicological effects** No data recorded.

Other health effects There is no evidence that the product can cause cancer.

Distillates (petroleum), hydro- treated light

**Acute toxicity - oral** 

Acute toxicity oral (LD50

mg/kg)

5,000.0

Rat **Species** 

**Acute toxicity - dermal** 

Acute toxicity dermal (LD50 2,000.0

mg/kg)

Rabbit **Species** 

**Skin corrosion/irritation** 

**Animal data** Erythema/eschar score: No erythema (0). Oedema score: No oedema (0). Not

irritatina.

Human skin model test Not available.

Serious eye damage/irritation

Serious eye

Not irritating.

damage/irritation

**Respiratory sensitisation** 

Respiratory sensitisation There is no evidence that the material can lead to respiratory hypersensitivity.

**Skin sensitisation** 

Skin sensitisation Buehler test: - Guinea pig: Not sensitising.

**Germ cell mutagenicity** 

**Genotoxicity - in vitro** : Negative. This substance has no evidence of mutagenic properties.

Genotoxicity - in vivo : Negative. This substance has no evidence of mutagenic properties.

**Carcinogenicity** 

There is no evidence that the product can cause cancer. Carcinogenicity

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 750 mg/kg, Oral, Rat

**Inhalation** No specific health hazards known.

**Ingestion** Harmful: may cause lung damage if swallowed. Entry into the lungs following

ingestion or vomiting may cause chemical pneumonitis.

# JUICE - Q - Cut

**Skin Contact** No specific health hazards known.

**Eye contact** No specific health hazards known.

Medical Symptoms Skin irritation.

White Mineral Oil (Petroleum)

**Other health effects** There is no evidence that the product can cause cancer.

**Acute toxicity - oral** 

Acute toxicity oral (LD50

mg/kg)

2,000.0

**Species** Rat

**Acute toxicity - dermal** 

Acute toxicity dermal (LD50

mg/kg)

2,000.0

**Species** Rabbit

**Respiratory sensitisation** 

**Respiratory sensitisation** Not sensitising.

**Skin sensitisation** 

**Skin sensitisation** Not sensitising.

#### **SECTION 12: Ecological information**

**Ecotoxicity** Not regarded as dangerous for the environment. However, large or frequent spills may have

hazardous effects on the environment.

# **Ecological information on ingredients.**

#### Distillates (petroleum), hydro- treated light

**Ecotoxicity** The product components are not classified as environmentally hazardous.

However, large or frequent spills may have hazardous effects on the environment.

White Mineral Oil (Petroleum)

**Ecotoxicity** The product components are not classified as environmentally hazardous.

However, large or frequent spills may have hazardous effects on the environment.

**Toxicity** Based on available data the classification criteria are not met.

**Acute aquatic toxicity** 

Acute toxicity - fish Not determined.

Acute toxicity - aquatic invertebrates

Not determined.

Acute toxicity - aquatic plants Not determined.

Acute toxicity - Not determined.

microorganisms

Acute toxicity - terrestrial Not determined.

# JUICE - Q - Cut

# **Ecological information on ingredients.**

#### Distillates (petroleum), hydro- treated light

**Acute aquatic toxicity** 

Acute toxicity - fish LC<sub>50</sub>, 96 hours: > 2-5 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 1.4 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC<sub>50</sub>, 72 hours: 1-3 mg/l, Algae

#### White Mineral Oil (Petroleum)

**Acute aquatic toxicity** 

Acute toxicity - fish LC50, 96 hours: > 400 000, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

, 96 hours: > 500 000 , Marinewater invertebrates

#### **BRONOPOL (INN)**

**Acute aquatic toxicity** 

**LE(C)**<sub>50</sub>  $0.01 < L(E)C50 \le 0.1$ 

M factor (Acute) 10

Persistence and degradability

**Persistence and degradability** The degradability of the product is not known.

#### **Ecological information on ingredients.**

### **Aluminium oxide**

Persistence and degradability

The product is not biodegradable.

#### White Mineral Oil (Petroleum)

Persistence and

degradability

The product is expected to be slowly biodegradable.

**Bioaccumulative potential** 

**Bioaccumulative Potential** No data available on bioaccumulation.

Partition coefficient Not available.

**Ecological information on ingredients.** 

#### Aluminium oxide

**Bioaccumulative Potential** Accumulates in soil and sediment.

# Distillates (petroleum), hydro- treated light

**Bioaccumulative Potential** Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

# JUICE - Q - Cut

#### White Mineral Oil (Petroleum)

Bioaccumulative Potential The product does not contain any substances expected to be bioaccumulating.

**Mobility in soil** 

**Mobility** The product is partly soluble in water and may spread in the aquatic environment. The product

is non-volatile.

#### **Ecological information on ingredients.**

#### **Aluminium oxide**

**Mobility** Not considered mobile.

Distillates (petroleum), hydro- treated light

Mobility The product contains volatile organic compounds (VOCs) which will evaporate

easily from all surfaces. The product is insoluble in water and will spread on the

water surface.

Henry's law constant Not available.

White Mineral Oil (Petroleum)

**Mobility** The product is insoluble in water and will spread on the water surface.

Other adverse effects

Other adverse effects None known.

#### **SECTION 13: Disposal considerations**

#### **Waste treatment methods**

**General information** The generation of waste should be minimised or avoided wherever possible. Reuse or recycle

products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners

may retain some product residues and hence be potentially hazardous.

**Disposal methods** Dispose of surplus products and those that cannot be recycled via a licensed waste disposal

contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only

be considered when recycling is not feasible.

#### **SECTION 14: Transport information**

**General** The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADG).

**UN number** 

Not applicable.

#### **UN proper shipping name**

Not applicable.

# JUICE - Q - Cut

#### Transport hazard class(es)

No transport warning sign required.

#### **Transport labels**

No transport warning sign required.

#### Packing group

Not applicable.

#### **Environmental hazards**

Environmentally hazardous substance/marine pollutant

No.

#### **Special precautions for user**

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78

Not applicable.

and the IBC Code

#### **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

National Code of Practice for the Preparation of Material Safety Data Sheets.

Approved Criteria for Classifying Hazardous Substances.

Exposure Standards for Atmospheric Contaminants in the Occupational Environment.

Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in

the Occupational Environment.

National Code of Practice for the Labelling of Workplace Substances.

National Model Regulations for the Control of Workplace Hazardous Substances. National Code of Practice for the Control of Workplace Hazardous Substances. National Standard for the Storage and Handling of Workplace Dangerous Goods.

National Code of Practice for the Storage and Handling of Workplace Dangerous Goods. Guidance Note for Placarding Stores for Dangerous Goods and Specified Hazardous Substances. Guidance Note for the Assessment of Health Risks Arising from Hazardous

Substances in the Workplace.

National Standard for the Control of Major Hazard Facilities. National Code of Practice for the

Control of Major Hazard Facilities.

Schedule (SUSMP) Schedule 5. Caution.

#### **Inventories**

Australia - AIIC

All the ingredients are listed or exempt.

#### **SECTION 16: Any other relevant information**

**General information** This product has been manufactured under ISO 9001 and ISO 14001 Quality and

Environmental Management Systems. Only trained personnel should use this material.

Training advice Read and follow manufacturer's recommendations. Only trained personnel should use this

material.

**Revision comments**NOTE: Lines within the margin indicate significant changes from the previous revision.

# JUICE - Q - Cut

**Issued by** Prepared by:

Sydney Automotive Paint and Equipment Pty Ltd

Unit A3, 366 Edgar Street

Condell Park NSW 2200 Australia

Tel: +61 2 9772 9000

Email: reception@sape.com.au

**Revision date** 9/06/2021

**Revision** 1

**SDS No.** 22079

SDS status Approved.

Hazard statements in full H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.