Revision: 3



# SAFETY DATA SHEET Juice Crystal Glass Cleaner

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, 2011

## **SECTION 1: Identification: Product Identifier and Chemical Identity**

Product Identifier	
Product name	Juice Crystal Glass Cleaner
Product no.	JPCGC500
Relevant identified uses of th	e substance or mixture and uses advised against
Application	Window glass cleaner
Uses advised against	For professional use only. This product is not recommended for any other industrial, professional or consumer use other than specified above.
Details of the supplier of the	Safety Data Sheet
Supplier	Sydney Automotive Paint and Equipment Pty Ltd
	Unit A3, 366 Edgar Street
	Condell Park
	NSW 2200
	Australia
	Tel: +61 2 9772 9000
	Email: reception@sape.com.au
	www.juicepolishes.com.au
	www.sape.com.au
NZ Distributor	Resene Automotive & Light Industrial
	4 Te Apunga Place Sylvia Park
	Auckland
	NZ 1641
	Tel: +64 9 259 2738
	www.resene.co.nz
Emergency Information	
Emergency telephone	NZ Poison Information Centre 0800 764 766 or +64 3 479 7248
	+61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)
	+61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)
Transport information	TO I 2 9112 9000 (MOILO FI, 00.00-10.00 AESI)

## SECTION 2: Hazard(s) Identification

## Classification of the substance or mixture

Physical and health hazards	Not classified as hazardous according to New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations, 2001	
	Not classified as a dangerous good according to NZS 5433:2012, Transport of Dangerous Goods on Land, UN, IMDG and IATA.	
HSNO Classification	Not classified as hazardous.	
Environmental hazards	Not classified	
Label elements		
GHS hazard symbols	Not classified	
GHS signal word	Not classified	
Hazard statements	Not classified	
Precautionary statements	P261 – Avoid breathing spray.	
-	P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.	
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	P501 – Dispose of contents/container in accordance with national regulations.	

### **Other hazard information**

This product does not contain any substances classified as PBT or vPvB.

## **SECTION 3: Composition and Information on Ingredients**

The product is a mixture.

2-Butoxyethanol	GHS Hazardous: Y	5<10%
CAS number 111-76-2		
Ethanol	GHS Hazardous: Y	3<5%
CAS number 64-17-5		
Propan-2-ol	GHS Hazardous: Y	0.5<0.7%
CAS number 67-63-0		

Butanone	GHS Hazardous: Y	0.5<0.7%
CAS number 78-93-3		

#### **SECTION 4: First Aid Measures**

#### **Description of first aid measures**

**General information** Get medical attention if any discomfort continues. Show this Safety Data Sheet to any medical personnel.

InhalationMove affected person to fresh air and keep warm and at rest in a position comfortable for<br/>breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.

Ingestion Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

Skin Contact Remove affected person from source of contamination. Rinse immediately with plenty of water.

**Eye contact** Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

#### Most important symptoms and effects, both acute and delayed

General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.
Skin contact	Prolonged contact may cause dryness of the skin.
Eye contact	May cause temporary eye irritation.

#### Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
Specific treatments	No special treatment required.

### **SECTION 5: Fire Fighting Measures**

### Extinguishing media

**Suitable extinguishing media** The product is not flammable.

	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from the	substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.
Hazardous combustion products	Thermal decomposition or combustion products may include harmful gases or vapours.
Advice for firefighters	
Protective actions	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.
Hazchem	Not applicable

#### **SECTION 6: Accidental Release Measures**

#### Precautions, protective equipment and emergency procedures

Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage.
Environmental precautions	Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

#### Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated area with plenty of water. Wash

thoroughly after dealing with a spillage. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

#### Reference to other sections

**Reference to other sections** 

For personal protection, see Section 8.

#### **SECTION 7: Handling and Storage**

#### Precautions for safe handling

Usage precautionsRead and follow manufacturer's recommendations. Wear protective clothing as<br/>described in Section 8 of this safety data sheet. Keep away from food, drink and<br/>animal feeding stuffs. Handle all packages and containers carefully to minimise<br/>spills. Keep container tightly sealed when not in use. Avoid the formation of mists.Occupation hygieneWash promptly if skin becomes contaminated. Take off contaminated clothing and<br/>wash before reuse. Do not eat, drink or smoke when using this product. Wash at<br/>the end of each work shift and before eating, smoking and using the toilet. Change

work clothing daily before leaving workplace.

Conditions for safe storage, including any incompatibilities		
Storage precautions	Store in accordance with local regulations.	
Storage class	Chemical storage.	
Specific end use(s)		
Specific end use	The identified uses for this product are detailed in Section 1.	

#### **SECTION 8: Exposure Controls and Personal Protection**

#### **Occupational exposure limits**

2-Butoxyethanol	Long-term exposure limit (8-hour TWA):	20 ppm	96.9 mg/m³
	Short-term exposure limit (15-minute):	50 ppm	242 mg/m³
	Absorption through the skin may be a signi	ficant source of 6	exposure.
Ethanol	Long-term exposure limit (8-hour TWA):	1000 ppm	1880 mg/m³
Propan-2-ol	Long-term exposure limit (8-hour TWA):	400 ppm	983 mg/m³
	Short-term exposure limit (15-minute):	500 ppm	1230 mg/m³
Butanone	Long-term exposure limit (8-hour TWA):	150 ppm	445 mg/m³ NOHSC
	Short-term exposure limit (15-minute):	300 ppm	890 mg/m³ NOHSC

#### Exposure controls

### **Protective equipment**



Engineering controls	Provide adequate ventilation. Good general ventilation should be adequate to control worker exposure to airborne contaminants.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. Wear tight-fitting, chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Provide adequate ventilation. Large spillages: if ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure control	Not regarded as dangerous to the environment.

## **SECTION 9: Physical and Chemical Properties**

## Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Light blue.
Odour	Characteristic.
рН	Not applicable.
Melting point	< 0°C
Initial boiling point and range	> 100°C
Flash point	No information available.

Other flammability	This product does not sustain combustion, according to the sustained combustibility test L.2, Part III, section 32 of the UN Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria.
Viscosity	~ 1 cSt @20°C
Volatile organic compounds	This product contains a maximum VOC content of 12%.
Comments	Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.

## **SECTION 10: Stability and Reactivity**

Reactivity	There are no known reactivity hazards associated with this product.	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.	
Possibility of hazardous reaction	sNo potentially hazardous reactions known.	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
Hazardous decomposition	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include harmful gases or vapours.	

### **SECTION 11: Toxicological Information**

## Information on toxicological effects

Toxicological effects	There is no evidence that the product can cause cancer.
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	21,079.94
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	17,836.87
Acute toxicity - inhalation	
Notes (inhalation LC <sub>50</sub> )	Based on available data the classification criteria are not met.
ATE inhalation (mg/kg)	178.37
Skin corrosion/irritation	
Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation	

Serious eye damage/irritation	Based on available data the classification criteria are not met.
<b>Respiratory sensitisation</b> Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro Carcinogenicity	Based on available data the classification criteria are not met.
Carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity Reproductive toxicity - fertility Reproductive toxicity - development	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.
Specific target organ toxicity - sin STOT - single exposure	<b>Igle exposure</b> Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity - rep	peated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
General information	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.
Skin Contact	Prolonged contact may cause dryness of the skin.
Eye contact	May cause temporary eye irritation.
Route of entry	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
Medical symptoms	No specific symptoms noted, but this chemical may still have adverse health impact, either in general or on certain individuals.
Medical considerations	Not known.

## **Toxicological information on ingredients**

2-Butoxyethanol			
Acute toxicity – oral	Acute toxicity oral (LD <sub>50</sub> mg/kg)	1,300.0	Rat
	ATE oral (mg/kg)	1,300.0	

Acute toxicity - dermal	Acute toxicity dermal (LD₅₀ mg/kg) ATE dermal (mg/kg)	2,270.0 1,100.0	Rat
Acute toxicity - inhalation	ATE inhalation (vapours mg/l)	11.0	
Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising		
Germ cell mutagenicity Genotoxicity - in vitro Carcinogenicity	Negative. This substance has no ev	vidence of mutaç	genic properties
IARC carcinogenicity	IARC Group 3 Not classifiable as to	its carcinogenio	city to humans.
Reproductive toxicity Reproductive toxicity - fertility Reproductive toxicity - development	Fertility - NOAEL 720 mg/kg, Mouse nt Developmental toxicity - NOAEL 100 mg/kg, Rat		
Propan-2-ol			
Acute toxicity – oral	Acute toxicity oral (LD <sub>50</sub> mg/kg)	5,840.0	Rat
Acute toxicity - dermal	Acute toxicity dermal (LD <sub>50</sub> mg/kg)	16.4	Rabbit
Acute toxicity - inhalation	ATE inhalation (vapours mg/l)	11.0	
Respiratory sensitisation	Not sensitising.		
Skin sensitisation	No sensitising.		
Carcinogenicity IARC carcinogenicity	IARC Group 3 Not classifiable as to	o its carcinogenio	city to humans.
Inhalation	Drowsiness, dizziness, disorientatio	on, vertigo.	
Ingestion	No specific health hazards known.		
Skin contact	No specific health hazards known.		

Irritating to eyes.

# **SECTION 12: Ecological Information**

Eye contact

Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
Toxicity	Based on available data the classification criteria are not met.
Persistence and degradability	The degradability of the product is not known.
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not available.

Mobility in soil	The product is soluble in water and may spread in the aquatic environment. product is non-volatile.	The
PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
Other adverse effects	None known.	

## **Ecological information on ingredients**

2-Butoxyethanol		
Ecotoxicity	Not regarded as dangerous for the environment.	
Acute toxicity-fish	LC <sub>50</sub> , 96 hours: > 100 mg/l, Lepomis macrochirus (Bluegill)	
Acute toxicity-aquatic invertebrat	es	EC₅₀, 48 hours: 1550 mg/l, Daphnia magna
Acute toxicity-aquatic plants	EC50 : >10	0 mg/l
Acute toxicity-microorganisms	EC50 : >10	00 mg/l
Chronic toxicity-fish early life sta	ge	NOEC, 21 days: >100 mg/l
Chronic toxicity-aquatic inverteb	rates	NOEC, 21 days: >100 mg/l, daphnia magna
Persistence and biodegradability	The produ	ct is biodegradable.
Biodegradation	Water- deg	gradation (%) 90.4: 28 days
Bioaccumulative potential	The produ	ct is not bioaccumulating.
Partition coefficient	log Pow: 0	.05
Mobility in soil		ct contains volatile organic compounds (VOCs) which will evaporate all surfaces.
Adsorption/desorption coefficien	-	
Henry's Law constant	0.000016 atm m <sup>3</sup> /mol	
Surface tension	65mN/m	
Propan-2-ol		
Ecotoxicity	The produ	ct is not expected to be hazardous to the environment.
Acute toxicity-fish	LC <sub>50</sub> , 96 h	ours: > 9640 mg/l, Pimephales promelas (Fat-head minnow)
Acute toxicity-aquatic invertebrat	ates EC <sub>50</sub> : > 1000 mg/l, daphnia magna	
Acute toxicity-aquatic plants	EC₅₀, 72 h	ours : >1000 mg/l, Scenedesmus subspicatus
Acute toxicity-microorganisms	EC₅₀ : >1000 mg/l, activated sludge	
Persistence and biodegradability	The produ	ct is expected to be biodegradable.
Biodegradation	Degradatio	on (%) 95: 21 days
Biological oxygen demand	~1171 g O	<sub>2</sub> /g substance
Chemical oxygen demand	~2294 g O	<sub>2</sub> /g substance

Mobility in soil	The product is water soluble.
Adsorption/desorption coefficien	<b>t</b> Water – Koc: ~1.1
Henry's Law constant	0.00000338 atm m <sup>3</sup> /mol @25°C

# **SECTION 13: Disposal Considerations**

Waste treatment methods	
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.
Disposal methods	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water authority.

SECTION 14: Transport Information		
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
UN number	Not applicable.	
UN proper shipping name	Not applicable.	
Transport hazard class(es)	No transport warning sign required.	
Packing group	Not applicable.	
Hazchem	Not applicable.	
Environmentally hazardous substance/marine pollutant No		
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.		

# **SECTION 15: Regulatory Information**

<u>Inventories</u>	
Australia – AICS	All the ingredients are listed or exempt.
NZIoC	All the ingredients are listed or exempt.
HSNO Approval Code	Not assigned, non-hazardous.

SECTION 16: Any Other Relevant Information	
General information	This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems. Only trained personnel should use this material.
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Sydney Automotive Paints and Equipment
	Unit A3, 366 Edgar Street, Condell Park
	NSW, 2200, Australia
	www.sape.com.au
	reception@sape.com.au
	Tel +61 2 9772 9000
Revision date	02/12/2017
Revision	3
Supersedes date	28/10/2017

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.