

## DESCRIPTION

**Ez Coat** is a unique direct to metal coating that matches the color and gloss of factory primer and e-coat colors.

## FEATURES

- Duplicates factory appearance
- Direct to metal and aluminum
- Quick curing and hiding
- Available in 7 popular OEM colors
- Paintable with most automotive basecoats
- Excellent corrosion control

## SUITABLE SUBSTRATES

- Bare Metal
- OEM finishes
- Primer

## TYPICAL PROPERTIES

Part:	Product Name:	Color:	Container:
62213	Ez Coat	Black	Aerosol
62223	Ez Coat	Olive Green	Aerosol
62233	Ez Coat	Light Green	Aerosol
62243	Ez Coat	Gray	Aerosol
62253	Ez Coat	Tan	Aerosol
62263	Ez Coat	Olive Brown	Aerosol
62273	Ez Coat	White	Aerosol

<b>MIR:</b>	< 1.5
<b>Category:</b>	EFA
<b>Coverage:</b>	13 ft <sup>2</sup> per can @ 1 mils DFT
<b>Recommended coats:</b>	2-3 coats
<b>Top coat time:</b>	15 minutes

Check local VOC regulations to ensure compliance of all products in your area.



Check local VOC regulations to ensure compliance of all products in your area.

---

## HANDLING AND APPLICATION

### PREPARATION:

1. Clean surface thoroughly with **SEM Solve** or **Zero VOC Surface Cleaner**.
2. Sand with 320 grit paper and re-clean with **SEM Solve** or **Zero VOC Surface Cleaner**.

### APPLICATION:

<b>Coats:</b>	2-3 medium coats
<b>Flash time:</b>	5-10 minutes between coats
<b>Dry time:</b>	30 min

#### Note:

If clogging develops, remove spray button with a twisting motion and clean with **XXX Gun Cleaner** or material compliant with VOC regulations in your area. Do not stick pin or other object into can. Gently replace spray button on top of can and spray with button pointed away from you.

After each use, turn can upside down and spray several seconds to clear spray tip.

### STORAGE:

**Ez Coat** should be stored in a cool dry place with adequate ventilation away from heat, sparks and flames. The shelf life for **Ez Coat** is 5 years when stored under normal conditions.

### RELATED PRODUCTS:

<b>Part:</b>	<b>Product Name:</b>	<b>Size:</b>
38371	SEM Solve	Gallon
38373	SEM Solve	Aerosol
38374	SEM Solve	Quart
38375	SEM Solve	5 Gallon
40401	Zero VOC Surface Cleaner	Gallon
40404	Zero VOC Surface Cleaner	Quart
77743	XXX Gun Cleaner	Aerosol



Check local VOC regulations to ensure compliance of all products in your area.

---

### **Technical Consultation Service**

Our Technical Staff is ready to assist you with any questions. You are invited to take advantage of our extensive experience, laboratory services and trained field service representatives. Call (800) 831-1122 for answers to your questions. Hours of operation are Monday through Thursday 8:00 am until 5:00 pm EST and on Friday 8:00 am until 4:30 pm EST.

#### **Disclaimer:**

The information supplied in this document is for guidance only and should not be construed as a warranty. All implied warranties are expressly disclaimed. All users of the materials are responsible for assuring that it is suitable for their needs, environment and use. All data subject to change as SEM deems appropriate.

Users should review the Material Safety Data Sheet (MSDS) and product label for the material to determine possible health hazards, appropriate engineering controls and precautions to be observed in using the material. Copies of the MSDS and product label are available upon request.