According to the Australian Work Health and Safety Regulations

Initial preparation date: 10.30.2017 Page 1 of 12

## **Top Coat Silver - Aerosol**

## **SECTION 1: Identification**

**Product identifier** 

**Product name:** Top Coat Silver - Aerosol

Product code: 46018

## Recommended use of the product and restriction on use

**Relevant identified uses:** Used as a top coat for metal **Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.



Manufacturer: Supplier: United States Australia

P.O.R. Products Sydney Automotive Paints & Equipment Pty Ltd

38 Portman Road A3 / 366 Edgar Street

New Rochelle, NY 10801 Condell Park, NSW 2200 Australia

914-636-0700 +61 2 9772 9000

#### **Emergency telephone number:**

**Australia** 

## **Emergency telephone AU Poison Information Centre 13 11 26**

General medical information: +61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)

Transport information: +61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)

#### **SECTION 2: Hazard(s) identification**

#### **GHS** classification:

Flammable aerosols, category 1

Compressed gases

Skin irritation, category 2

Eye irritation, category 2A

Skin sensitization, category 1

Carcinogenicity, category 2

Specific target organ toxicity - single exposure, category 3, central nervous system

## **Label elements**

#### Hazard pictograms:









Signal word: Danger

# Hazard statements:

H222 Extremely flammable aerosol

H280 Contains gas under pressure; may explode if heated

H229 Pressurized container: may burst if heated.

H315 Causes skin irritation

H319 Causes serious eye irritation



According to the Australian Work Health and Safety Regulations

Initial preparation date: 10.30.2017 Page 2 of 12

## **Top Coat Silver - Aerosol**

H317 May cause an allergic skin reaction

H351 Suspected of causing cancer

H336 May cause drowsiness or dizziness

H315+H320 Causes skin and eye irritation.

## Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking

P211 Do not spray on an open flame or other ignition source

P251 Pressurized container. Do not pierce or burn, even after use

P264 Wash skin thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P272 Contaminated work clothing should not be allowed out of the workplace

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P271 Use only outdoors or in a well-ventilated area

P281 Use personal protective equipment as required.

P321 Specific treatment (see supplemental first aid instructions on this label).

P362 Take off contaminated clothing and wash before reuse

P302+P352 If on skin: Wash with soap and water

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P308+P313 If exposed or concerned: Get medical advice/attention

P304+P340+P312 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a poison center or doctor/physician if you feel unwell

P332+P313 If skin irritation occurs: Get medical advice/attention

P362+P364 Take off contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists get medical advice/attention

P363 Wash contaminated clothing before reuse

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

P410+P403 Protect from sunlight. Store in a well ventilated place

P405 Store locked up

P403+P233 Store in a well ventilated place. Keep container tightly closed

P501 Dispose of contents and container as instructed in Section 13

#### Hazards not otherwise classified: None

## **SECTION 3: Composition and information on ingredients**

| Identification       | Name            | Weight % |
|----------------------|-----------------|----------|
| CAS number: 67-64-1  | Acetone         | 10-30    |
| CAS number: 74-98-6  | Propane         | 10-30    |
| CAS number: 540-88-5 | T-Butyl Acetate | 10-30    |

According to the Australian Work Health and Safety Regulations

Initial preparation date: 10.30.2017 Page 3 of 12

## **Top Coat Silver - Aerosol**

| CAS number: 64742-89-8 | Solvent naphtha (petroleum), light aliphatic | 10-30 |
|------------------------|--|-------|
| CAS number: 64742-48-9 | Hydrotreated Heavy Petroleum Naphtha         | 5-10  |
| CAS number:<br>75-28-5 | Isobutane                                    | 5-10  |
| CAS number: 106-97-8   | N-Butane                                     | 5-10  |
| CAS number: 1330-20-7  | Xylene                                       | 1-5   |
| CAS number: 100-41-4   | Ethyl Benzene                                | 0.1-1 |
| CAS number: 96-29-7    | Methyl ethyl ketoxime                        | 0.1-1 |

**Additional Information: None** 

#### **SECTION 4: First aid measures**

#### **Description of first aid measures**

#### **General notes:**

Not determined or not applicable.

#### **After inhalation:**

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

#### After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

Take off all contaminated clothing

Gently blot or brush away excess product

Wash with plenty of lukewarm, gently flowing water

Get medical advice if skin irritation occurs or you feel unwell

## After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open

Remove contact lenses, if present and easy to do so

Continue rinsing for 15-20 minutes

Get medical advice if eye irritation persists

## After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

## Most important symptoms and effects, both acute and delayed

## Acute symptoms and effects:

Not determined or not applicable.

According to the Australian Work Health and Safety Regulations

Initial preparation date: 10.30.2017 Page 4 of 12

## **Top Coat Silver - Aerosol**

#### **Delayed symptoms and effects:**

Not determined or not applicable.

## Immediate medical attention and special treatment

#### Specific treatment:

Not determined or not applicable.

#### Notes for the doctor:

Not determined or not applicable.

#### **SECTION 5: Fire fighting measures**

#### **Extinguishing media**

## Suitable extinguishing media:

Use Water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

## Unsuitable extinguishing media:

Not determined or not applicable.

## Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Contents under pressure

In a fire or if heated, a pressure increase will occur and the container may burst or explode

Vapors can flow to distant ignition sources and flashback

Liquid is volatile and may generate an explosive atmosphere

#### Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

#### Special precautions:

Shut off sources of ignition

Carbon monoxide and carbon dioxide may form upon combustion

Heating causes a rise in pressure, risk of bursting and combustion

Hazchem: na

#### **SECTION 6: Accidental release measures**

## Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

Beware of vapors accumulating to form explosive concentrations

Vapors can accumulate in low areas

#### **Environmental precautions:**

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

#### Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Use spark-proof tools and equipment

Absorb with non-combustible liquid-binding material (sand, diatomaceus earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

According to the Australian Work Health and Safety Regulations

Initial preparation date: 10.30.2017 Page 5 of 12

## **Top Coat Silver - Aerosol**

#### Reference to other sections:

Not determined or not applicable.

## **SECTION 7: Handling and storage precautions**

#### Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Do not puncture, crush, or incinerate containers, even when empty.

Protect cylinders from physical damage.

#### Conditions for safe storage, including any incompatibilities:

Protect from freezing and physical damage.

Protect from direct sunlight.

Store in a cool, well-ventilated area.

Store cylinders upright.

Store away from all ignition sources (open flames, hot surfaces, direct sunlight, spark sources).

## **SECTION 8: Exposure controls and personal protection**

Only those substances with limit values have been included below.

#### Occupational Exposure limit values:

| Country (Legal Basis) | Substance       | Identifier | Permissible concentration                                 |
|-----------------------|-----------------|------------|---|
| Australia             | T-Butyl Acetate | 540-88-5   | TWA: 950 mg/m³ (200 ppm)                                  |
|                       | N-Butane        | 106-97-8   | TWA: 1900 mg/m³ (800ppm)                                  |
|                       | Ethyl Benzene   | 100-41-4   | TWA: 434 mg/m³ (100 ppm);<br>STEL: 543 mg/m³ (125 ppm)    |
|                       | Xylene          | 1330-20-7  | TWA: 350 mg/m³ (80 ppm); STEL: 655 mg/m³ (150 ppm)        |
|                       | Acetone         | 67-64-1    | TWA: 1185 mg/m³ (500 ppm);<br>STEL: 2375 mg/m³ (1000 ppm) |
|                       | Ethyl Benzene   | 100-41-4   | TWA: 434 mg/m³ (100 ppm);<br>STEL: 543 mg/m³ (125 ppm)    |

#### **Biological limit values:**

No biological exposure limits noted for the ingredient(s).

#### Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

#### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use explosion-proof ventilation equipment.

## Personal protection equipment

According to the Australian Work Health and Safety Regulations

Initial preparation date: 10.30.2017 Page 6 of 12

## **Top Coat Silver - Aerosol**

#### Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

#### Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

#### **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

## General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

#### SECTION 9: Physical and chemical properties

## Information on basic physical and chemical properties

| Annoaranco                              | Silver  |
|---|---|
| Appearance                              |   |
| Odor                                    | Paint-like                                    |
| Odor threshold                          | Not determined or not available.              |
| pH                                      | Not determined or not available.              |
| Melting point/freezing point            | > -95.30 °C                                   |
| Initial boiling point/range             | > 56.10 °C                                    |
| Flash point (closed cup)                | > -17.00 °C (Liquid); -104.40 °C (Propellant) |
| Evaporation rate                        | Not determined or not available.              |
| Flammability (solid, gas)               | Extremely Flammable Aerosol                   |
| Upper flammability/explosive limit      | 13.0%   |
| Lower flammability/explosive limit      | 0.70%   |
| Vapor pressure                          | Not determined or not available.              |
| Vapor density                           | Not determined or not available.              |
| Density                                 | 0.730 g/cm <sup>3</sup>                       |
| Relative density                        | Not determined or not available.              |
| Solubilities                            | Not determined or not available.              |
| Partition coefficient (n-octanol/water) | Not determined or not available.              |
| Auto/Self-ignition temperature          | 229.40 °C                                     |
| Decomposition temperature               | Not determined or not available.              |
| Dynamic viscosity                       | Not determined or not available.              |
| Kinematic viscosity                     | Not determined or not available.              |
| Explosive properties                    | Not determined or not available.              |
| Oxidizing properties                    | Not determined or not available.              |

#### Other information

| Percent Volatile | 84.79 % wt |
|------------------|------------|
| Percent VOC      | 45.86 % wt |
| Percent HAP      | 2.18 % wt  |

According to the Australian Work Health and Safety Regulations

Initial preparation date: 10.30.2017 Page 7 of 12

## **Top Coat Silver - Aerosol**

| Global Warming Potential       | 0.93 GWP  |
|--------------------------------|---|
| Ozone Depletion Potential      | 0.00 ODP  |
| VOC Regulatory/Actual          | 590.31 g/L (4.93 lbs/gal) / 334.75 g/L (2.79 lbs/gal) |
| HAP Content                    | 15.91 g/L (0.13 lbs/gal)                              |
| Maximum Incremental Reactivity | 0.7030 g O3/g   |

## **SECTION 10: Stability and reactivity**

#### **Reactivity:**

Does not react under normal conditions of use and storage.

## **Chemical stability:**

Stable under normal conditions of use and storage.

## Possibility of hazardous reactions:

None under normal conditions of use and storage.

#### Conditions to avoid:

Other Ignition Sources, Heat, Flames, Sparks.

#### **Incompatible materials:**

Strong Oxidizing Agents, Strong Acids, Chlorosulfuric Acid.

## **Hazardous decomposition products:**

Acetic Acid.

## **SECTION 11: Hazard information**

#### **Acute toxicity**

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

**Substance data:** 

| Name          | Route      | Result                     |
|---------------|------------|----------------------------|
| Xylene        | dermal     | LD50 - Rat - > 1,700 mg/kg |
|               | inhalation | LC50 - Rat - 5,000 ppm/4 h |
| Ethyl Benzene | inhalation | LCLo - Rat - 4,000 ppm/4 h |

#### Skin corrosion/irritation

**Assessment:** Causes skin irritation

Product data:

No data available.

Substance data:

| Name                                    | Result                  |
|---|-------------------------|
| Hydrotreated Heavy Petroleum<br>Naphtha | Irritating to the skin. |
| Xylene                                  | Irritating to the skin. |

#### Serious eye damage/irritation

Assessment: Causes serious eye irritation

**Product data:**No data available.

According to the Australian Work Health and Safety Regulations

Initial preparation date: 10.30.2017 Page 8 of 12

## **Top Coat Silver - Aerosol**

#### Substance data:

| Name                  | Result                              |
|-----------------------|-------------------------------------|
| Acetone               | Causes serious eye irritation.      |
| Methyl ethyl ketoxime | Risk of serious damage to the eyes. |

#### Respiratory or skin sensitization

Assessment: May cause an allergic skin reaction

Product data:
No data available.
Substance data:

| Name                  | Result                                  |
|-----------------------|---|
| Methyl ethyl ketoxime | May cause sensitization by skin contact |

#### Carcinogenicity

**Assessment:** Suspected of causing cancer

Product data: No data available.

**Substance data:** 

| Name   | Species            | Result  |
|--|--------------------|---|
| Solvent naphtha (petroleum), light aliphatic | (petroleum), light | The classification as a carcinogen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). |
| Methyl ethyl ketoxime                        |                    | May cause cancer.   |

## International Agency for Research on Cancer (IARC):

| Name          | Classification   |
|---------------|--|
| Xylene        | Group 3 - Not classifiable as to its carcinogenicity to humans |
| Ethyl Benzene | Group 2B - Possibly carcinogenic to humans                     |

**National Toxicology Program (NTP):** None of the ingredients are listed.

## Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available. Substance data:

| Name                         | Result   |  |
|------------------------------|--|--|
| Solvent naphtha (petroleum), | The classification as a mutagen need not apply if it can be shown that the |  |
| light aliphatic              | substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7).      |  |

## Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

**Product data:**No data available.

Substance data: No data available.

# Specific target organ toxicity (single exposure)

**Assessment:** May cause drowsiness or dizziness

**Product data:**No data available.

Generated by SDSPublisher (patent-pending) www.GSMSDS.com, 1-813-435-5161

According to the Australian Work Health and Safety Regulations

Initial preparation date: 10.30.2017 Page 9 of 12

## **Top Coat Silver - Aerosol**

#### Substance data:

| Name                                    | Result   |
|---|--|
| Acetone                                 | Specific Target Organ Toxicity, Single Exposure - May cause drowsiness or dizziness. |
| Hydrotreated Heavy Petroleum<br>Naphtha | Component affects the central nervous system.  |
| Ethyl Benzene                           | Repeated exposure damages the hearing organs.  |

## Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

**Product data:**No data available.

Substance data: No data available.

Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available. Substance data:

| Name                                    | Result                                       |
|---|--|
| Hydrotreated Heavy Petroleum<br>Naphtha | May be fatal if swallowed and enters airway. |
| Ethyl Benzene                           | May be fatal if swallowed and enters airway. |

## Information on likely routes of exposure:

No data available.

#### Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

#### Other information:

No data available.

## **SECTION 12: Ecological information**

#### Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

Chronic (long-term) toxicity

**Product data:** No data available. **Substance data:** No data available.

#### Persistence and degradability

**Product data:** No data available. **Substance data:** No data available.

## **Bioaccumulative potential**

**Product data:** No data available. **Substance data:** No data available.

Mobility in soil

According to the Australian Work Health and Safety Regulations

Initial preparation date: 10.30.2017 Page 10 of 12

## **Top Coat Silver - Aerosol**

Product data: No data available.
Substance data: No data available.
Other adverse effects: No data available.

## **SECTION 13: Disposal considerations**

## **Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

# **SECTION 14: Transport information**

## **Australian Dangerous Goods (ADG)**

| UN number                     | 1950                                  |
|-------------------------------|---------------------------------------|
| UN proper shipping name       | Aerosols, flammable, Limited Quantity |
| UN transport hazard class(es) | 2.1                                   |
| Packing group                 | None                                  |
| Environmental hazards         | None                                  |
| Special precautions for user  | None                                  |
| Hazchem/Emergency Action Code | na                                    |

## **International Maritime Dangerous Goods (IMDG)**

| UN number                     | 1950   |
|-------------------------------|--|
| UN proper shipping name       | Aerosols, Limited Quantity   |
| UN transport hazard class(es) | 2.1  |
| Packing group                 | None   |
| Environmental hazards         | None   |
| Special precautions for user  | None   |
| EmS number                    | F-D, S-U   |
| Stowage category              | For AEROSOLS with a maximum capacity of 1 litre: Category A. Segregation as for class 9 but "Separated from" class 1 except division 1.4. For AEROSOLS with a capacityabove 1 litre: Category B. Segregation as for the appropriate sub-division of class 2. For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for the appropriate sub-division of class 2. |
| Excepted quantities           | E0   |

## International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

| UN number               | 1950                                  |
|-------------------------|---------------------------------------|
| UN proper shipping name | Aerosols, flammable, Limited Quantity |

According to the Australian Work Health and Safety Regulations

Initial preparation date: 10.30.2017 Page 11 of 12

## **Top Coat Silver - Aerosol**

| UN transport hazard class(es) | 2.1     | name of the state |
|-------------------------------|---------|---|
| Packing group                 | None    |   |
| Environmental hazards         | None    |   |
| Special precautions for user  | None    |   |
| ERG code                      | 10L     |   |
| Excepted quantities           | E0      |   |
| Passenger and cargo           | 75 kg   |   |
| Cargo aircraft only           | 150 kg  |   |
| Limited quantity              | 30 kg G |   |

#### **SECTION 15: Regulatory information**

#### **Australia regulations**

## **Australian Inventory of Chemical Substances (AICS):**

| 74-98-6    | Propane                                      | Listed |
|------------|--|--------|
| 540-88-5   | T-Butyl Acetate                              | Listed |
| 67-64-1    | Acetone                                      | Listed |
| 64742-89-8 | Solvent naphtha (petroleum), light aliphatic | Listed |
| 64742-48-9 | Hydrotreated Heavy Petroleum Naphtha         | Listed |
| 1330-20-7  | Xylene                                       | Listed |
| 100-41-4   | Ethyl Benzene                                | Listed |
| 106-97-8   | N-Butane                                     | Listed |
| 75-28-5    | Isobutane                                    | Listed |
| 96-29-7    | Methyl ethyl ketoxime                        | Listed |

#### Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP):

| 13 | 30-20-7 | Xylene  | Listed |
|----|---------|---------|--------|
| 67 | -64-1   | Acetone | Listed |

## **SECTION 16: Other information**

#### **Abbreviations and Acronyms: None**

#### Disclaimer:

This SDS was authored in accordance with the Australian Work Health and Safety Regulations and supplemented by the Australian Code of Practice on the Preparation of Safety Data Sheets for Hazardous Chemicals. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 2-4-3 **HMIS:** 2-4-3

According to the Australian Work Health and Safety Regulations

Initial preparation date: 10.30.2017 Page 12 of 12

Top Coat Silver - Aerosol

Initial preparation date: 10.30.2017

**Additional information:** 

Version: 1.0

**End of Safety Data Sheet**