According to the Australian Work Health and Safety Regulations

Initial preparation date: 03.06.2017

### **POR-15 RUST REMOVER**

### **SECTION 1: Identification**

### **Product identifier**

Product name: POR-15 RUST REMOVER Product code: 40701; 40704; 40705

### Recommended use of the product and restriction on use Relevant identified uses: Remove rust Uses advised against: Not determined or not applicable. Reasons why uses advised against: Not determined or not applicable.

### Manufacturer or supplier details

Manufacturer: United States P.O.R. Products 38 Portman Road New Rochelle, NY 10801 914-636-0700 www.PORproducts.com

Supplier: Australia Sydney Automotive Paints & Equipment Pty Ltd A3 / 366 Edgar Street Condell Park, NSW 2200 Australia +61 2 9772 9000

### **Emergency telephone number:**

### Australia

AU Poison Information Centre 13 11 26 General medical information: +61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST) Transport information: +61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)

### SECTION 2: Hazard(s) identification

GHS classification: Not a hazardous substance or mixture

Label elements

Hazard pictograms: None

Signal word: None

Hazard statements: None

Precautionary statements: None

Hazards not otherwise classified: None

### **SECTION 3: Composition and information on ingredients**

Identification	Name	Weight %
CAS number: 7732-18-5	Water	>80
CAS number: 67-63-0	Propan-2-ol	<0.1



Page 1 of 9

### According to the Australian Work Health and Safety Regulations

### Initial preparation date: 03.06.2017

### POR-15 RUST REMOVER

CAS number: 2809-21-4	Etidronic acid	<10
CAS number: 1310-58-3	Potassium hydroxide	<5
CAS number: 7664-38-2	Phosphoric Acid	<0.1

# Additional Information: None

### **SECTION 4: First aid measures**

### **Description of first aid measures**

# **General notes:**

Get medical attention if you feel unwell

### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position Maintain an unobstructed airway Get medical advice/attention if you feel unwell

### After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes If symptoms develop or persist, seek medical attention

### After swallowing:

Rinse mouth thoroughly Seek medical attention if irritation, discomfort, or vomiting persists

# Most important symptoms and effects, both acute and delayed

### Acute symptoms and effects:

Not determined or not applicable.

### Delayed symptoms and effects:

Not determined or not applicable.

# Immediate medical attention and special treatment

### Specific treatment:

Not determined or not applicable.

## Notes for the doctor:

Not determined or not applicable.

# SECTION 5: Fire fighting measures

### Extinguishing media

# Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

### Unsuitable extinguishing media:

Not determined or not applicable.

### According to the Australian Work Health and Safety Regulations

### Initial preparation date: 03.06.2017

### **POR-15 RUST REMOVER**

### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

### Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

### Special precautions:

Not determined or not applicable.

### SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation Ensure air handling systems are operational Wear protective eye wear, gloves and clothing

### **Environmental precautions:**

Should not be released into the environment Prevent from reaching drains, sewer or waterway

### Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders) Dispose of contents / container in accordance with local regulations

### **Reference to other sections:**

Not determined or not applicable.

### **SECTION 7: Handling and storage precautions**

### Precautions for safe handling:

Use only with adequate ventilation. Avoid breathing mist or vapor. Do not eat, drink, smoke or use personal products when handling chemical substances.

### Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed. Protect from freezing and physical damage. Store in a cool, well-ventilated area.

### **SECTION 8: Exposure controls and personal protection**

Only those substances with limit values have been included below.

# Country (Legal Basis)SubstanceIdentifierPermissible concentrationAustraliaPotassium hydroxide1310-58-3Peak limitation: 2 mg/m³Phosphoric Acid7664-38-2TWA: 1 mg/m³ / STEL: 3 mg/m³Propan-2-ol67-63-0TWA: 983 mg/m³ (400 ppm);<br/>STEL: 1,230 mg/m³ (500 ppm)

### Occupational Exposure limit values:

### **Biological limit values:**

### According to the Australian Work Health and Safety Regulations

### Initial preparation date: 03.06.2017

# Substance Identifier Determinant Sampling time Permissible limits Propan-2-ol 67-63-0 Acetone End of shift at end of workweek. 40 mg/L

### Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. Biological monitoring may also be appropriate for some substances.

### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

### Personal protection equipment

### Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

### Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

### **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

### General hygienic measures:

Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of work. Wash contaminated clothing before reuse.

### **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Appearance	Liquid
Odor	Mild
Odor threshold	Not determined or not available.
рН	6-8
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not Flammable
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.

According to the Australian Work Health and Safety Regulations

Initial preparation date: 03.06.2017

### POR-15 RUST REMOVER

1.10 - 1.15 g/mL
Not determined or not available.
Soluble in water.
Not determined or not available.
Not determined or not available.
Not determined or not available.
20 cps
Not determined or not available.
Not determined or not available.
Not determined or not available.

### Other information

### **SECTION 10: Stability and reactivity**

### **Reactivity:**

Does not react under normal conditions of use and storage.

### **Chemical stability:**

Stable under normal conditions of use and storage.

### Possibility of hazardous reactions:

None under normal conditions of use and storage.

### Conditions to avoid: None known.

NOTE KIOWII.

### Incompatible materials:

None known.

### Hazardous decomposition products:

None known.

### **SECTION 11: Hazard information**

### Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

### Product data: No data available.

### Substance data:

Name	Route	Result
Etidronic acid	oral	LD50 - Mouse - 1,800 mg/kg
Potassium hydroxide	oral	LD50 - Rat - 333 mg/kg

### Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

### Product data:

No data available.

### Substance data:

Name	Result
Potassium hydroxide	Corrosive to the skin.

### According to the Australian Work Health and Safety Regulations

Initial preparation date: 03.06.2017

### POR-15 RUST REMOVER

Name	Result
Phosphoric Acid	Corrosive to skin.

### Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

### Product data:

No data available.

### Substance data:

Name	Result	
Etidronic acid	Corrosive effect on the eyes.	
Propan-2-ol	Causes eye irritation	

### Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

### Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

### International Agency for Research on Cancer (IARC):

Name	Classification
Propan-2-ol	Group 3 - Not classifiable as to its carcinogenicity to humans

### National Toxicology Program (NTP): None of the ingredients are listed.

### Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

### **Reproductive toxicity**

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

### Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
Propan-2-ol	Component affects the central nervous system.

### Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met. Product data:

According to the Australian Work Health and Safety Regulations

Initial preparation date: 03.06.2017

### POR-15 RUST REMOVER

Page 7 of 9

### No data available.

Substance data: No data available.

### **Aspiration toxicity**

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

# Information on likely routes of exposure:

No data available.

**Symptoms related to the physical, chemical and toxicological characteristics:** No data available.

**Other information:** No data available.

### **SECTION 12: Ecological information**

### Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met. Product data: No data available. Substance data: No data available. Chronic (long-term) toxicity Product data: No data available. Substance data: No data available.

### Persistence and degradability

Product data: No data available. Substance data: No data available.

### **Bioaccumulative potential**

Product data: No data available. Substance data: No data available.

### Mobility in soil

Product data: No data available. Substance data: No data available.

Other adverse effects: No data available.

### **SECTION 13: Disposal considerations**

### **Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Tran	sport information
------------------	-------------------

### Australian Dangerous Goods (ADG)

UN number	Not regulated
UN proper shipping name	Not regulated

According to the Australian Work Health and Safety Regulations

Initial preparation date: 03.06.2017

### POR-15 RUST REMOVER

UN transport hazard class(es)	None	
Packing group	None	
Environmental hazards	None	
Special precautions for user	None	

### International Maritime Dangerous Goods (IMDG)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### **SECTION 15: Regulatory information**

### Australia regulations

### Australian Inventory of Chemical Substances (AICS):

7732-18-5	Water	Listed
2809-21-4	Etidronic acid	Listed
1310-58-3	Potassium hydroxide	Listed
67-63-0	Propan-2-ol	Listed
7664-38-2	Phosphoric Acid	Listed

### Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP):

7732-18-5	Water	Not Listed
2809-21-4	Etidronic acid	Listed
1310-58-3	Potassium hydroxide	Listed
67-63-0	Propan-2-ol	Not Listed

### **SECTION 16: Other information**

# Abbreviations and Acronyms: None

**Disclaimer:** 

According to the Australian Work Health and Safety Regulations

Initial preparation date: 03.06.2017

### POR-15 RUST REMOVER

This SDS was authored in accordance with the Australian Work Health and Safety Regulations and supplemented by the Australian Code of Practice on the Preparation of Safety Data Sheets for Hazardous Chemicals. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 03.06.2017

Additional information:

Version 1.0

**End of Safety Data Sheet**