



## SAFETY DATA SHEET

### Juice Race Wax Boost

According to *Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice*, 2011

#### SECTION 1: Identification: Product Identifier and Chemical Identity

##### Product Identifier

**Product name** Juice Race Wax Boost  
**Product no.** JPRWB750 / JPRWB500

##### Relevant identified uses of the substance or mixture and uses advised against

**Application** Car maintenance – rinse aid  
**Uses advised against** For professional use only. This product is not recommended for any other industrial, professional or consumer use other than specified above.

##### Details of the supplier of the Safety Data Sheet

**Supplier** Sydney Automotive Paint and Equipment Pty Ltd  
Unit A3, 366 Edgar Street  
Condell Park  
NSW 2200  
Australia  
Tel: +61 2 9772 9000  
Email: [reception@sape.com.au](mailto:reception@sape.com.au)  
[www.juicepolishes.com.au](http://www.juicepolishes.com.au)  
[www.sape.com.au](http://www.sape.com.au)

##### Emergency Information

**Emergency telephone** AU Poison Information Centre 13 11 26  
**General medical information** +61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)  
**Transport information** +61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)

## Juice Race Wax Boost

### SECTION 2: Hazard(s) Identification

#### Classification of the substance or mixture

**Physical and health hazards** Not classified as hazardous according to the GHS criteria under the Australian Work Health Safety (WHS) Act 2011.

Not classified as a dangerous good according to the Australian Dangerous Goods (ADG) Code, 7.7.

**Environmental hazards** Not classified

#### Label elements

**GHS hazard symbols** Not classified

**GHS signal word** Not classified

**Hazard statements** Not classified.

**Precautionary statements** P302+P352 - IF ON SKIN: Wash with plenty of soap and water.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Other hazard information

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition and Information on Ingredients

The product is a mixture.

<b>Silicone Quaternium-17 (Polymer)</b> CAS number 51419-86-0	GHS Hazardous: Y	3<5%
<b>2-Butoxyethanol</b> CAS number 111-76-2	GHS Hazardous: Y	2<3%

### SECTION 4: First Aid Measures

#### Description of first aid measures

**General information** Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.

## Juice Race Wax Boost

<b>Ingestion</b>	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
<b>Skin Contact</b>	Remove affected person from source of contamination. Rinse immediately with plenty of water.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

### **Most important symptoms and effects, both acute and delayed**

<b>General information</b>	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	Prolonged inhalation of high concentrations may damage respiratory system.
<b>Ingestion</b>	Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.
<b>Skin contact</b>	Prolonged contact may cause dryness of the skin.
<b>Eye contact</b>	May cause temporary eye irritation.

### **Indication of any immediate medical attention and special treatment needed**

<b>Notes for the doctor</b>	Treat symptomatically.
<b>Specific treatments</b>	No special treatment required.

## SECTION 5: Fire Fighting Measures

### **Extinguishing media**

<b>Suitable extinguishing media</b>	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

### **Special hazards arising from the substance or mixture**

<b>Specific hazards</b>	Containers can burst violently or explode when heated, due to excessive pressure build-up.
<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

## Juice Race Wax Boost

### Advice for firefighters

#### **Protective actions during firefighting**

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

#### **Special protective equipment for firefighters**

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.

#### **Hazchem**

Not applicable

## SECTION 6: Accidental Release Measures

### Precautions, protective equipment and emergency procedures

#### **Personal precautions**

No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage.

#### **Environmental precautions**

Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air)..

### Methods and material for containment and cleaning up

#### **Methods for cleaning up**

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Reuse or recycle products wherever possible. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Following dilution, discharge to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### Reference to other sections

#### **Reference to other sections**

For personal protection, see Section 8.

## SECTION 7: Handling and Storage

## Juice Race Wax Boost

### Precautions for safe handling

#### Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists.

#### Occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

### Conditions for safe storage, including any incompatibilities

#### Storage precautions

Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

#### Storage class

Chemical storage.

### Specific end use(s)

#### Specific end use

The identified uses for this product are detailed in Section 1.

## SECTION 8: Exposure Controls and Personal Protection

### Control parameters

#### Occupational exposure limits

#### 2-BUTOXYETHANOL

Long-term exposure limit (8-hour TWA): 20 ppm                      96.9 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): 50 ppm                      242 mg/m<sup>3</sup>

Absorption through the skin may be a significant source of exposure.

### Exposure controls

#### Protective equipment



#### Engineering controls

Provide adequate ventilation. Good general ventilation should be adequate to control worker exposure to airborne contaminants.

#### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. The following protection should be worn: Chemical splash goggles.

## Juice Race Wax Boost

<b>Hand protection</b>	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. The breakthrough time for any glove material may be different for different glove manufacturers. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. The choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. When used with mixtures, the protection time of gloves cannot be accurately estimated. Gloves made from the following material may provide suitable chemical protection: Nitrile rubber. Thickness: >0.2mm The selected gloves should have a breakthrough time of at least 0.5 hours. Glove thickness is not necessarily a good measure of glove resistance as the permeation rate will depend on the exact glove composition. Repeated exposure to chemicals will degrade the ability of the glove to provide resistance to chemicals. Specific work environments and material handling practices may vary, therefore safety procedures should be developed for each intended application. Use thin cotton gloves inside natural rubber gloves if there is an allergy risk to natural rubber.
<b>Other skin and body protection</b>	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
<b>Hygiene measures</b>	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.
<b>Respiratory protection</b>	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
<b>Environmental exposure control</b>	Not regarded as dangerous for the environment. Keep container tightly sealed when not in use.

### SECTION 9: Physical and Chemical Properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Purple.
<b>Odour</b>	Grape Fragrance.
<b>Flash point</b>	>67°C (CC-Closed Cup)
<b>Relative density</b>	~ 0.99 @ (20°C)
<b>pH</b>	6.0 - 8.0 (Concentrated Solution)
<b>Melting point</b>	0°C.
<b>Initial boiling point and range</b>	100°C @ 1015 mbar
<b>Vapour density</b>	Not available.

## Juice Race Wax Boost

<b>Solubility in water</b>	Soluble in water.
<b>Partition coefficient</b>	Not available.
<b>Viscosity</b>	1 cSt @ 20°C
<b>% Volatile</b>	This product contains a maximum VOC content of 28g/L.
<b>Oxidising Properties</b>	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.

### SECTION 10: Stability and Reactivity

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
<b>Possibility of hazardous reactions</b>	No potentially hazardous reactions known.
<b>Conditions to avoid</b>	There are no known conditions that are likely to result in a hazardous situation.
<b>Materials to avoid</b>	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
<b>Hazardous decomposition</b>	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

### SECTION 11: Toxicological Information

#### Information on toxicological effects

<b>Toxicological effects</b>	Not regarded as a health hazard under current legislation.
<b>Acute toxicity - oral</b> Notes (oral LD <sub>50</sub> ) ATE oral (mg/kg)	Based on available data the classification criteria are not met. 46,428.57
<b>Acute toxicity - dermal</b> Notes (dermal LD <sub>50</sub> ) ATE dermal (mg/kg)	Based on available data the classification criteria are not met. 39,285.71
<b>Acute toxicity - inhalation</b> Notes (inhalation LC <sub>50</sub> ) ATE inhalation (vapours mg/l)	Based on available data the classification criteria are not met. 392.86
<b>Skin corrosion/irritation</b> Animal data Extreme pH	Based on available data the classification criteria are not met. Moderate pH (> 2 and < 11.5).
<b>Serious eye damage/irritation</b> Serious eye damage/irritation	Based on available data the classification criteria are not met.
<b>Respiratory sensitisation</b> Respiratory sensitisation	Based on available data the classification criteria are not met.

## Juice Race Wax Boost

### Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

### Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

### Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.  
IARC carcinogenicity None of the ingredients are listed or exempt.

### Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.  
Reproductive toxicity - development Based on available data the classification criteria are not met.

### Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

### Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

### Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

### General information

No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

### Inhalation

Prolonged inhalation of high concentrations may damage respiratory system.

### Ingestion

Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation

### Skin Contact

Prolonged contact may cause dryness of the skin.

### Eye contact

May cause temporary eye irritation.

### Route of exposure

Ingestion Inhalation Skin and/or eye contact

### Target Organs

No specific target organs known.

## SECTION 12: Ecological Information

### Ecotoxicity

Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

### Toxicity

Based on available data the classification criteria are not met.

### Persistence and degradability

The degradability of the product is not known

### Bioaccumulative potential

No data available on bioaccumulation.

### Mobility in soil

The product is water soluble and may spread in water systems. The product is non-volatile.

### PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

### Other adverse effects

No further relevant information available.



## Juice Race Wax Boost

### SECTION 13: Disposal Considerations

#### Waste treatment methods

##### **General information**

The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.

##### **Disposal methods**

Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water authority.

### SECTION 14: Transport Information

##### **General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

##### **UN number**

Not applicable.

##### **UN proper shipping name**

Not applicable.

##### **Transport hazard class(es)**

No transport warning sign required.

##### **Packing group**

Not applicable.

##### **Hazchem**

Not applicable.

##### **Environmentally hazardous substance/marine pollutant**

No

##### **Special precautions for user**

Not applicable.

##### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable.

### SECTION 15: Regulatory Information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

##### **Schedule (SUSMP)**

No poison schedule number allocated.

## Juice Race Wax Boost

### Inventories

**Australia – AICIS** All the ingredients are listed or exempt.

### SECTION 16: Any Other Relevant Information

<b>General information</b>	This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems. Only trained personnel should use this material.
<b>Training advice</b>	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
<b>Issued by</b>	Sydney Automotive Paints and Equipment Unit A3, 366 Edgar Street, Condell Park NSW, 2200, Australia www.sape.com.au reception@sape.com.au Tel +61 2 9772 9000
<b>Revision date</b>	29/01/2021
<b>Revision</b>	2
<b>Supersedes date</b>	21/01/2020
<b>Hazard statements in full</b>	H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H332 Harmful if inhaled. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.