

# SAFETY DATA SHEET Juice Swirl Remover

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, 2011

#### **SECTION 1: Identification: Product Identifier and Chemical Identity**

## **Product Identifier**

Product name Juice Swirl Remover

Product no. JPBSR946

#### Relevant identified uses of the substance or mixture and uses advised against

**Application** Car maintenance product – polish and swirl mark remover.

**Uses advised against** For professional use only. This product is not recommended for any other industrial,

professional or consumer use other than specified above.

#### **Details of the supplier of the Safety Data Sheet**

Supplier Sydney Automotive Paint and Equipment Pty Ltd

Unit A3, 366 Edgar Street

Condell Park NSW 2200 Australia

Tel: +61 2 9772 9000

Email: reception@sape.com.au

www.juicepolishes.com.au

www.sape.com.au

NZ Distributor Resene Automotive & Light Industrial

4 Te Apunga Place

Sylvia Park Auckland NZ 1641

Tel: +64 9 259 2738

www.resene.co.nz

#### **Emergency Information**

Emergency telephone NZ Poison Information Centre 0800 764 766 or +64 3 479 7248

**General medical information** +61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST) **Transport information** +61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)

# SECTION 2: Hazard(s) Identification

## Classification of the substance or mixture

Physical and health hazards Not classified as hazardous according to New Zealand Hazardous Substances

(Minimum Degrees of Hazard) Regulations, 2001

Not classified as a dangerous good according to NZS 5433:2012, Transport of

Dangerous Goods on Land, UN, IMDG and IATA.

**HSNO Classification** Not classified as hazardous.

Environmental hazards Not classified

**Label elements** 

GHS hazard symbols Not classified

GHS signal word Not classified

Hazard statements Not classified.

**Precautionary statements** P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### Other hazard information

This product does not contain any substances classified as PBT or vPvB.

#### **SECTION 3: Composition and Information on Ingredients**

The product is a mixture.

Distillates (petroleum), hydrotreated light.	GHS Hazardous: Y	30<60%
CAS number: 64742-47-8		
Aluminium oxide	GHS Hazardous: N	15<20%
CAS number: 1344-28-1		
White Mineral Oil (Petroleum)	GHS Hazardous: Y	5<10%
CAS number: 8042-47-5		
Aluminium Silicate	GHS Hazardous: N	3<5%
CAS number: 1332-58-7		

## Juice Swirl Remover

#### **SECTION 4: First Aid Measures**

#### **Description of first aid measures**

**General information** Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.

**Inhalation** Remove affected person from source of contamination. Move affected person to fresh air

and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person

on their side in the recovery position and ensure breathing can take place.

**Ingestion** Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water

or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not Induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing

such as collar, tie or belt.

**Skin Contact** Rinse immediately with plenty of water.

**Eye contact** Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 10 minutes. If symptoms persist, consult a doctor.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

#### Most important symptoms and effects, both acute and delayed

General information See Section 11 for additional information on health hazards. The severity of the

symptoms described will vary dependent on the concentration and the length of

exposure.

**Inhalation** Prolonged inhalation of high concentrations may damage respiratory system.

Ingestion Gastrointestinal symptoms, including upset stomach. Fumes from the stomach

contents may be inhaled, resulting in the same symptoms as inhalation.

**Skin contact** Prolonged contact may cause dryness of the skin.

**Eye contact** May cause temporary eye irritation.

#### Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** No further relevant information available. Treat symptomatically.

## **SECTION 5: Fire Fighting Measures**

## **Extinguishing media**

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon

dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the

surrounding fire.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

#### **Advice for firefighters**

**Protective actions** Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to

heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment

Wear appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves)

will provide a basic level of protection for chemical incidents.

Hazchem Not applicable

#### **SECTION 6: Accidental Release Measures**

#### Precautions, protective equipment and emergency procedures

**Personal precautions**No action shall be taken without appropriate training or involving any personal risk.

Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled

material.

**Environmental precautions**Slightly soluble in water. Aquatic toxicity is unlikely to occur. However, large or frequent spills may have hazardous effects on the environment. Absorb spillage

frequent spills may have hazardous effects on the environment. Absorb spillage with non-combustible, absorbent material. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

#### Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear

up spills immediately and dispose of waste safely. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage

with an inert, dry material and place it in a suitable waste disposal container.

Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

#### Reference to other sections

**Reference to other sections**For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards.

For waste disposal, see Section 13.

## **SECTION 7: Handling and Storage**

#### **Precautions for safe handling**

**Usage precautions** Read and follow manufacturer's recommendations. Wear protective clothing as

described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Do not handle until all safety precautions have been read and understood. Do not

handle broken packages without protective equipment.

Occupation hygiene Wash promptly if skin becomes contaminated. Take off contaminated clothing and

wash before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change

work clothing daily before leaving workplace.

## Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in accordance with local regulations. Keep only in the original container.

Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight,

jointless and not absorbent.

**Storage class** Chemical storage.

Specific end use(s)

**Specific end use** The identified uses for this product are detailed in Section 1.

#### **SECTION 8: Exposure Controls and Personal Protection**

#### **Control Parameters**

#### Occupational exposure limits

Aluminium oxide Long-term exposure limit (8-hour TWA): 10 mg/m³
Aluminium Silicate Long-term exposure limit (8-hour TWA): 10 mg/m³

## **Exposure controls**

Engineering controls Provide adequate ventilation. Personal, workplace environment or biological

monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk

assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

#### Juice Swirl Remover

**Hand protection** 

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most glove should be chosen in consultation with the supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

**Hygiene measures** 

Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716.

**Environmental exposure control** Keep container tightly sealed when not in use.

## **SECTION 9: Physical and Chemical Properties**

## Information on basic physical and chemical properties

**Appearance** Viscous Liquid. Emulsion.

Colour White.

Odour Organic solvent.

Flash point 62°C CC (closed cup)

Relative density 1.070 @ (20°C) Hq Not applicable. **Melting point** Not available.

> 100°C @ 760 mmHg Initial boiling point and range

**Evaporation rate** Not available. **Explosive limit - lower (%)** Not available. Not available. **Explosive limit - upper (%)** 

Vapor pressure >0.04 kPa @ 20°C

## Juice Swirl Remover

Vapour density Not available.

**Solubility in water** Slightly soluble in water.

Partition coefficient Not available.

Ignition temperature Not available.

**Self-igniting** Product is not self-igniting

Other flammability This product does not sustain combustion, according to the sustained

combustibility test L.2, Part III, section 32 of the UN Recommendations on the

Transport of Dangerous Goods, Manual of Tests and Criteria.

**Viscosity** Kinematic Viscosity > 20.5 mm<sup>2</sup>/s.

% Volatile 90.58% (w/w)

Comments Information declared as "Not available" or "Not applicable" is not considered to be

relevant to the implementation of the proper control measures.

**Volatile organic compound**This product contains a maximum VOC content of 362 g/liter.

### **SECTION 10: Stability and Reactivity**

**Reactivity**There are no known reactivity hazards associated with this product.

Stability Stable at normal ambient temperatures and when used as recommended. Stable

under the prescribed storage conditions.

Possibility of hazardous reactions No potentially hazardous reactions known.

**Conditions to avoid**There are no known conditions that are likely to result in a hazardous situation.

Materials to avoid No specific material or group of materials is likely to react with the product to

produce a hazardous situation.

**Hazardous decomposition**No dangerous decomposition products known.

#### **SECTION 11: Toxicological Information**

#### Information on toxicological effects

**Toxicological effects** Not regarded as a health hazard under current legislation.

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal  $LD_{50}$ ) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

## Juice Swirl Remover

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity - development Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

**Aspiration hazard** 

Aspiration hazard Based on available data the classification criteria are not met.

**General information** The severity of the symptoms described will vary dependent on the concentration

and the length of exposure.

**Inhalation** Prolonged inhalation of high concentrations may damage respiratory system.

**Ingestion** Gastrointestinal symptoms, including upset stomach. Fumes from the stomach

contents may be inhaled, resulting in the same symptoms as inhalation.

**Skin Contact** Prolonged contact may cause dryness of the skin.

**Eye contact** May cause temporary eye irritation.

Acute/chronic health hazards This product has low toxicity. Only large quantities are likely to have adverse

effects on human health.

Route of entry Ingestion Inhalation Skin and/or eye contact

**Target Organs** No specific target organs known.

Medical Symptoms No specific symptoms noted, but this chemical may still have adverse health

impact, either in general or on certain individuals.

Medical considerations Not known.

## **Ingredient comments:**

Distillates (petroleum), hydrotreated light.

Acute toxicity oral (LD50)5000 mg/kgSpecies RatAcute toxicity dermal (LD50)2000 mg/kgSpecies Rabbit

## Juice Swirl Remover

Skin corrosion/irritation Animal data: Erythema/eschar score: No erythema (0). Oedema score: No

oedema (0). Not irritating.

Human skin model test Not available.

Serious eye damage/irritation Not irritating.

**Respiratory sensitisation** There is no evidence that the material can lead to respiratory hypersensitivity.

**Skin sensitisation** Buehler test: - Guinea pig: Not sensitising.

**Genotoxicity - in vitro**Negative. This substance has no evidence of mutagenic properties. **Genotoxicity - in vivo**Negative. This substance has no evidence of mutagenic properties.

STOT - repeated exposure NOAEL 750 mg/kg, Oral, Rat

**Inhalation** No specific health hazards known.

Ingestion Harmful: may cause lung damage if swallowed. Entry into the lungs following

ingestion or vomiting may cause chemical pneumonitis.

Skin Contact

No specific health hazards known.

Eye contact

No specific health hazards known.

Medical Symptoms Skin irritation.

## **SECTION 12: Ecological Information**

**Ecotoxicity** Not regarded as dangerous for the environment. However, large or frequent spills

may have hazardous effects on the environment.

**Toxicity** Based on available data the classification criteria are not met.

Persistence and degradability 
The degradability of the product is not known

**Bioaccumulative potential**No data available on bioaccumulation.

non-volatile.

PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects No further relevant information available.

## **Ecological information on ingredients:**

Acute toxicity - fish  $LC_{50}$ , 96 hours: > 2-5 mg/l, Fish

Acute toxicity - aquatic invertebrates EC<sub>50</sub>, 48 hours: 1.4 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC<sub>50</sub>, 72 hours: 1-3 mg/l, Algae

## **SECTION 13: Disposal Considerations**

### Waste treatment methods

## Juice Swirl Remover

**General information** The generation of waste should be minimised or avoided wherever possible. This

material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation

and any local authority requirements.

**Disposal methods** Dispose of surplus products and those that cannot be recycled via a licensed waste

disposal contractor. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not

feasible. Do not allow product to reach groundwater or water course.

## **SECTION 14: Transport Information**

General The product is not covered by international regulations on the transport of

dangerous goods (IMDG, IATA, ADR/RID).

**UN number** Not applicable.

**UN proper shipping name** Not applicable.

**Transport hazard class(es)** No transport warning sign required.

Packing group Not applicable.

**Hazchem** Not applicable.

Environmentally hazardous substance/marine pollutant No

**Special precautions for user** Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## **SECTION 15: Regulatory Information**

**Inventories** 

Australia – AICS All the ingredients are listed or exempt.

NZIoC All the ingredients are listed or exempt.

**HSNO Approval Code**Not assigned, non-hazardous

# **SECTION 16: Any Other Relevant Information**

General information This product has been manufactured under ISO 9001 and ISO 14001 Quality and

Environmental Management Systems. Only trained personnel should use this

material.

**Training advice** Read and follow manufacturer's recommendations. Only trained personnel should

use this material.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous

revision.

**Issued by** Sydney Automotive Paints and Equipment

Unit A3, 366 Edgar Street, Condell Park

NSW, 2200, Australia www.sape.com.au

reception@sape.com.au Tel +61 2 9772 9000

Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield,

Staffordshire, WS14 0DH, Great Britain.

www.autosmartinternational.com

rbutler@autosmart.co.uk Tel +44 (0)1543 481616

Revision date 01/05/2018

Revision 7

Supersedes date09/06/2016SDS No.21314SDS StatusApproved

Hazard statements in full H304 May be fatal if swallowed and enters airways.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.