



# Roar 730 Speed Gloss

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

Date of issue: 20/11/2018

Revision date:

Version: 1.0

### SECTION 1: Identification : Product identifier and chemical identity

#### 1.1. Product identifier

Product form : Mixture  
Name : Roar 730 Speed Gloss  
Product code : 730-10

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use : Polishes and wax blends

#### 1.4. Supplier's details

Sydney Automotive Paint and Equipment Pty Ltd  
Unit A3 366 Edgar Street  
NSW 2200 Condell Park - Australia  
T +61 2 9772 9000  
[reception@sape.com.au](mailto:reception@sape.com.au)

#### 1.5. Emergency phone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145 Westmead	13 11 26	

### SECTION 2: Hazards identification

#### 2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Not classified

#### 2.2. Label elements

Precautionary statements (GHS AU) : P102 - Keep out of reach of children.

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Water ( )	7732-18-5	>= 80	Not classified
Isopropyl alcohol ( )	67-63-0	1 - 10	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
3-butoxypropan-2-ol; propylene glycol monobutyl ether ( )	5131-66-8	0.1 - 1	Eye Irrit. 2A, H319 Skin Irrit. 2, H315
Other substances (not contributing to the classification of this product)		89 - 9	

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.  
First-aid measures after inhalation : If experiencing respiratory symptoms: Call a poison center or a doctor.  
First-aid measures after skin contact : Wash skin with plenty of water.  
First-aid measures after eye contact : Rinse eyes with water as a precaution.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Symptoms caused by exposure

Symptoms/effects after inhalation : May cause irritation or asthma-like symptoms.  
Symptoms/effects after skin contact : May cause skin irritation.  
Symptoms/effects after eye contact : May cause eye irritation.  
Symptoms/effects after ingestion : Ingestion may cause nausea and vomiting.

# Roar 730 Speed Gloss

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

### 4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : This product is flammable.

Explosion hazard : Product is not explosive.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

## SECTION 7: Handling and storage, including how the chemical may be safely used

### 7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters - exposure standards

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Australia	Local name	Isopropyl alcohol
Australia	TWA (mg/m <sup>3</sup> )	983 mg/m <sup>3</sup> Synonym (Propan-2-ol)
Australia	TWA (ppm)	400 ppm Synonym (Propan-2-ol)
Australia	STEL (mg/m <sup>3</sup> )	1230 mg/m <sup>3</sup> Synonym (Propan-2-ol)
Australia	STEL (ppm)	500 ppm Synonym (Propan-2-ol)

### Exposure limit values for the other components

#### 8.2. Monitoring

No additional information available

#### 8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

#### 8.4. Personal protective equipment

Hand protection : Protective gloves

# Roar 730 Speed Gloss

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves, Disposable gloves	Nitrile rubber (NBR)				

Eye protection : Safety glasses

Type	Use	Characteristics	Standard
Safety glasses	Droplet		

Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s)



Environmental exposure controls : Avoid release to the environment.

### SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	:
Colour	: white
Odour	: characteristic
Odour threshold	: No data available
pH	: 8.1
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: No data available
Boiling point	: 100 °C
Flash point	: 94 °C
Auto-ignition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Density	: Relative density : 0.99
Solubility	: Miscible with water.
Log Pow	: No data available
Explosive properties	: No data available
Explosive limits	: No data available
Minimum ignition energy	: No data available
VOC content	: 2 g/l
Fat solubility	: No data available

### SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport. The product is non-reactive under normal conditions of use, storage and transport
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

# Roar 730 Speed Gloss

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

<b>propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)</b>	
LD50 oral rat	5045 ml/kg
LD50 oral	3600 mg/kg LD50 oral mouse
LD50 dermal	12800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/l

Skin corrosion/irritation	: Not classified pH: 8.1
Serious eye damage/irritation	: Not classified pH: 8.1
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

### SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

#### 12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

<b>propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)</b>	
LC50 fish 1	9640 mg/l
EC50 other aquatic organisms 1	13299 mg/l waterflea
EC50 other aquatic organisms 2	> 1000 mg/l
Log Pow	0.05

<b>Water (7732-18-5)</b>	
Log Pow	-1.38

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

<b>propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)</b>	
Log Pow	See section 12.1 on ecotoxicology

<b>Water (7732-18-5)</b>	
Log Pow	See section 12.1 on ecotoxicology

#### 12.4. Mobility in soil

<b>propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)</b>	
Log Pow	See section 12.1 on ecotoxicology

<b>Water (7732-18-5)</b>	
Log Pow	See section 12.1 on ecotoxicology

#### 12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

<b>Roar 730 Speed Gloss</b>	
Fluorinated greenhouse gases	False

<b>propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)</b>	
Fluorinated greenhouse gases	False

# Roar 730 Speed Gloss

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

<b>Water (7732-18-5)</b>	
Fluorinated greenhouse gases	False
<b>3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)</b>	
Fluorinated greenhouse gases	False

### SECTION 13: Disposal considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

### SECTION 14: Transport information

#### 14.1. UN number

Not regulated for transport

#### 14.2. Proper Shipping Name - Addition

Not applicable

#### 14.3. Transport hazard class(es)

##### ADG

Transport hazard class(es) (ADG) : Not applicable

##### IMDG

Transport hazard class(es) (IMDG) : Not applicable

##### IATA

Transport hazard class(es) (IATA) : Not applicable

#### 14.4. Packing group

Packing group (ADG) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

#### 14.5. Environmental hazards

Marine pollutant : No

#### 14.6. Special precautions for user

Specific storage requirement : No data available

Shock sensitivity : No data available

#### 14.7. Additional information

Other information : No supplementary information available

#### Transport by road and rail

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### 14.8. Hazchem or Emergency Action Code

Hazchemcode : Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Australian Inventory of Chemical Substances (AICS) status : All the chemicals contained in this product are listed on the AICS

#### 15.2. International agreements

No additional information available

### SECTION 16: Any other relevant information

Classification:

# Roar 730 Speed Gloss

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

Not classified
----------------

Full text of H-statements:

Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

SDS Australia

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*