

Staub Stop Water Black

Tack cloth

:: DESCRIPTION

- Tack cloth
- Non-woven with hotmelt - impregnation
- Silicone & lint free

:: AREA OF APPLICATION

- Capture of dust
- Especially for cleaning the surface before applying water-based top coats
- Removal of small and medium dust particles in the industry

:: BENEFITS

- Black non-woven offers visual control of contaminated areas on the tack cloth
- Resealable packaging
- Leaves no adhesive residues on the cleaned surface
- Acrylic binder for better durability and abrasion resistance without fiber loss
- Retains twice as much dust than traditional tack cloths

:: PRODUCT DATA

Technical data

Material:	50% viscose / 50% polyester
Material strength:	80,48 g/m ²
Impregnation:	Special blend of resin, mineral oil and residual additives (proportion of the total weight approx. 37%)
Colour:	Black
Dimensions:	32 x 40 cm
Durability:	1 year in a closed packaging and optimal storage conditions

Property	Results	Unit	Method
Storage temperature	5 - 45	°C	-
Basic weight	80,48	g/m ² (+/- 5%)	DIN EN ISO 9073-1
Longitudinal tensile strength	79	N/m	EN 13934-1
Tensile strength	9		
Elongation at break (longitudinal)	< 50	%	EN 13934-1
Elongation at break (transverse)	< 150		

Staub Stop Water Black

Tack cloth

:: REMARKS

Due to its special composition and ingredients, the Staub Stop Water Black has extremely good sliding properties on the surface and thus, in combination with the absorption of all particles, antistatic properties.

:: SAFETY ISSUES

The before mentioned technical data and information, especially the recommendations for applying and using our products, are based on our current knowledge and experience when applied under normal conditions. In practice, the materials, surfaces or site conditions are so different that no warranty regarding the working results or liability, arising out of any relationship, can be inferred neither from this information nor from a verbal consultation, expect we are charged with intent or gross negligence. In this case the user is obliged to prove that he has informed us about all points required for a proper and promising judgement in writing, in time and completely. Patent rights of any third party are to be observed. Furthermore, our general sales and delivery terms and conditions and the latest Technical Data Sheet, which should be demanded, apply.

Directions for handling and waste disposal are in our Material Safety Data Sheet and the specifications of the Employers Liability Insurance Association for the chemical industry.

Copyright VOSSCHEMIE