

UV Gun Cleaner

Spray-gun cleaner

CHARACTERISTIC

CS UV Gun Cleaner spray for the efficient, quick and gentle finish cleaning of spray guns. Removes recent dirt from solvent- and water-based paints. Due to the easy use, CS UV Gun Cleaner spray saves time and represents a portable, cost-effective alternative to a spray gun cleaning machine.

- Extremely time saving
- Cost-effective alternative to spray gun cleaning machine
- Contains specific solvents, acetone and additives
- Also suitable for the cleaning of spray nozzles
- Best effects at recent and not dried paints

****** AREA OF APPLICATION

The CS UV Gun Cleaner cleans spray guns and spray nozzles gently, thoroughly and quickly from impurities from solvent- and water-based paints.

:: PRODUCT DATA

MATERIAL DATA

Colour: Transparent VOC: 701 gr./ltr Density: 0.7 g/L Shelf life: 10 years

The description of the shelf life refers to an unused can being stored appropriately at a temperature of 15 to 25°C and a relative humidity beneath 60%. Keep the can dry. It should be stored and transported uprightly being protected from chemical and mechanical impacts. The safety instructions on the label and all legal regulations concerning the storage location have to be observed.






APPLICATION



- Give can a quick shake
- Carry out spray test
- Disassemble spray gun immediately after painting and thoroughly spray to wash away all paint residues
- Wipe with a clean, dry non-woven / paper towel
- Cleaning spray nozzles: put on the spray nozzle on the valve of Spray gun Cleaner and spray several times
- Leave cleaned parts to dry thoroughly

FINISH:



When work is finished, reverse aerosol and spray valve empty.

DISPOSAL:

Please mind the residue inside the containers. Completely emptied containers can be used for recycling. If cans are not emptied, they should be disposed off as "special refuse".

REMARKS





Personal protection is required.
Respirator Mask type: A2/P2
Eye protection: protective safety glasses
Protective gloves, e.g. made of latex or nitrile.

FOR PROFESSIONAL USE ONLY.

SAFETY ISSUES

The before mentioned technical data and information, especially the recommendations for applying and using our products, are based on our current knowledge and experience when applied under normal conditions. In practice, the materials, surfaces or site conditions are so different that no warranty regarding the working results or liability, arising out of any



TECHNICAL DATA SHEET





relationship, can be inferred neither from this information nor from a verbal consultation, except we are charged with intent or gross negligence. In this case the user is obliged to prove that he has informed us about all points required for a proper and promising judgement in writing, in time and completely. Patent rights of any third party are to be observed.

Furthermore, our general sales and delivery Terms and Conditions and the latest Technical Data Sheet, which should be demanded, apply.

Directions for handling and waste disposal are in our Material Safety Data Sheet and the specifications of the Employers Liability Insurance Association for the chemical industry.

Copyright VOSSCHEMIE

